



總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (5) in WSD 3321/18 Pt.1 T/J(1312)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

16 January 2019

**Approval of "PRESTEX" Copper Fittings
(General Acceptance No. A20190006)**

Your letters ref. Q-0169/18 and Q-0177/18 dated 29 November 2018 and 7 December 2018 respectively refer.

The licence no. KM 07082 has been examined. It is noted that the British Standards Institution (BSI) has granted Pegler Yorkshire Group Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on the Kitemark certificate and test report ref. BC-SUMMARY-2018-127 issued on 15 November 2018 by Castco Testing Centre Limited.

Name of Manufacturer: Pegler Yorkshire Group Limited

Country of Origin: UK

Brand: Prestex

Details of Fittings: Copper alloy fittings with compression end

Description	Model	Size
Stop End (c x blank end)	37	15, 22, 28 (mm)
Straight Coupling (c x c)	40	22, 28, 35, 42, 54, 22x15, 28x22 (mm)
Straight Coupling (c x fi)	41	15x½", 15x¾", 22x½", 22x¾", 22x1", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)

Description	Model	Size
Straight Coupling (c x mi)	42	15x½", 15x¾", 22x½", 22x¾", 22x1", 28x¾", 28x1", 28x1¼", 35x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Bent Coupling (c x c)	44	15, 22, 28, 35, 42, 54, 22x15, 28x15, 28x22 (mm)
Bent Coupling (c x mi)	45	15x½", 22x¾", 28x1" (mm x inch)
Bent Coupling (c x fi)	46	15x½", 22x½", 22x¾", 22x1", 28x1" (mm x inch)
Tee (all ends equal)	50	15, 22, 28, 35, 42, 54 (mm)
Tee (both ends reduced)	50A	15x22 (mm)
Tee (one end reduced)	50B	22x15 (mm)
Tee (branch reduced)	50C	22x15, 28x15, 28x22 (mm)

Body Markings: Prestex Size

Expiry Date: 15 January 2022

In view of BSI granting licence to Pegler Yorkshire Group Limited on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the fresh water plumbing systems in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



Stop End (c x blank end)



Straight Coupling (c x c)



Straight Coupling (c x fi)



Straight Coupling (c x mi)



Bent Coupling (c x c)



Bent Coupling (c x mi)



Bent Coupling (c x fi)



Tee (all ends equal)



Tee (both ends reduced)



Tee (one end reduced)



Tee (branch reduced)