



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/19 T/J(973/2019)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

8 November 2019

**Approval of “KEY” Ductile Iron Pipes and Fittings
(General Acceptance No. A20190021)**

Your letters ref. BK2019-VM-1049 and BK2019-VM-1049(R1) dated 19 September 2019 and 9 October 2019 respectively refer.

The licence no. KM 645979 has been examined. It is noted that the British Standards Institution (BSI) has granted Suns Pipelines Company Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the pipes and fittings described below based on Kitemark certificate and test report ref. 171016-0010 issued on 28 December 2017 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Suns Pipelines Company Limited

Country of Origin: the Mainland of China

Brand: Key

Details of Pipes & Fittings: Ductile iron pipes and fittings with internal cement mortar lining

Description	Size (mm)
Pipes with push in flexible joints, Class C Series	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Pipes with push in flexible joints, Class K Series	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Socket 90° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Socket 45° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Socket 22.5° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Socket 11.25° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Socket Tees with Flanged Branch	80x80x50, 80x80x80, 100x100x50, 100x100x80, 100x100x100, 150x150x50, 150x150x80, 150x150x100, 150x150x150, 200x200x80, 200x200x100, 200x200x150, 200x200x200, 250x250x80, 250x250x100, 250x250x150, 250x250x200, 250x250x250, 300x300x80, 300x300x100, 300x300x150, 300x300x200, 300x300x250, 300x300x300, 350x350x80, 350x350x100, 350x350x150, 350x350x200, 350x350x250, 350x350x300, 350x350x350, 400x400x80, 400x400x100, 400x400x150, 400x400x200, 400x400x250, 400x400x300, 400x400x350, 400x400x400, 450x450x80, 450x450x100, 450x450x150, 450x450x200, 450x450x250, 450x450x300, 450x450x350, 450x450x400, 450x450x450, 500x500x80, 500x500x100, 500x500x150, 500x500x200, 500x500x250, 500x500x300, 500x500x350, 500x500x400, 500x500x450, 500x500x500, 600x600x80, 600x600x100, 600x600x150, 600x600x200, 600x600x250, 600x600x300, 600x600x350, 600x600x400, 600x600x450, 600x600x500, 600x600x600
Double Flange 90° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Flange 45° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600
Double Flange 22.5° Bend	80, 100, 150, 200, 250, 300, 350, 400
Double Flange 11.25° Bend	80, 100, 150, 200, 250, 300, 350, 400
Double Flange Duckfoot 90° Bend	80, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600

Description	Size (mm)
All Flange Tees	80x80x50, 80x80x65, 80x80x80, 100x100x50, 100x100x65, 100x100x80, 100x100x100, 150x150x50, 150x150x80, 150x150x100, 150x150x150, 200x200x50, 200x200x80, 200x200x100, 200x200x150, 200x200x200, 250x250x80, 250x250x100, 250x250x150, 250x250x200, 250x250x250, 300x300x80, 300x300x100, 300x300x150, 300x300x200, 300x300x250, 300x300x300, 350x350x80, 350x350x100, 350x350x150, 350x350x200, 350x350x250, 350x350x300, 350x350x350, 400x400x80, 400x400x100, 400x400x150, 400x400x200, 400x400x250, 400x400x300, 400x400x350, 400x400x400, 450x450x80, 450x450x100, 450x450x150, 450x450x200, 450x450x250, 450x450x300, 450x450x350, 450x450x400, 450x450x450, 500x500x80, 500x500x100, 500x500x150, 500x500x200, 500x500x250, 500x500x300, 500x500x350, 500x500x400, 500x500x450, 500x500x500, 600x600x80, 600x600x100, 600x600x150, 600x600x200, 600x600x250, 600x600x300, 600x600x350, 600x600x400, 600x600x450, 600x600x500, 600x600x600
All Socket Tees	80x80x80, 100x100x80, 100x100x100, 150x150x80, 150x150x100, 150x150x150, 200x200x80, 200x200x100, 200x200x150, 200x200x200, 250x250x80, 250x250x100, 250x250x150, 250x250x200, 250x250x250, 300x300x80, 300x300x100, 300x300x150, 300x300x200, 300x300x250, 300x300x300
Double Socket Tapers	100x80, 150x80, 150x100, 200x80, 200x100, 200x150, 250x80, 250x100, 250x150, 250x200, 300x80, 300x100, 300x150, 300x200, 300x250, 350x80, 350x100, 350x150, 350x200, 350x250, 350x300, 400x80, 400x100, 400x150, 400x200, 400x250, 400x300, 400x350, 450x80, 450x100, 450x150, 450x200, 450x250, 450x300, 450x350, 450x400, 500x80, 500x100, 500x150, 500x200, 500x250, 500x300, 500x350, 500x400, 500x450, 600x80, 600x100, 600x150, 600x200, 600x250, 600x300, 600x350, 600x400, 600x450, 600x500
Double Flange Tapers	65x50, 80x50, 80x65, 100x50, 100x65, 100x80, 150x50, 150x80, 150x100, 200x80, 200x100, 200x150, 250x150, 250x200, 300x100, 300x150, 300x200, 300x250, 350x200, 350x250, 350x300, 400x200, 400x250, 400x300, 400x350, 450x250, 450x300, 450x350, 450x400, 500x250, 500x300, 500x350, 500x400, 500x450, 600x300, 600x350, 600x400, 600x450, 600x500

Body Markings: KEY

Expiry Date: 15 May 2022

In view of BSI granting licence to Suns Pipelines Company Limited on BS EN 545 "Ductile iron pipes, fittings, accessories and their joints for water pipelines" as mentioned above, approval is hereby given to the said water supply pipes and fittings to be used on fresh water plumbing systems, flushing water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply pipes and fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the pipes and fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the pipes and fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



Double Socket 90° Bends




Double Socket 45° Bends




Double Socket 22.5° Bends



Double Socket 11.25° Bends



**Double Socket Tees with
Flanged Branch**



Double Flange Tapers



Double Flange 90° Bends



Double Flange 45° Bends



Double Flange 22.5° Bends




Double Flange 11.25° Bends



**Double Flange Duckfoot
90° Bends**



All Flange Tees



All Socket Tees



Double Socket Tapers