



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (2) in WSD 3321/2020 T/J(962/2020)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

25 September 2020

**Approval of "ENDEX" Copper Fittings
(General Acceptance No. A20200008)**

Your letter ref. Q-0468/20 dated 3 August 2020 refers.

The licence no. KM 15121 has been examined. It is noted that the British Standards Institution (BSI) has granted Pegler Yorkshire Group Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test reports ref. BC-SUMMARY-2020-70 and BC-SUMMARY-2020-71 both issued on 17 June 2020 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Pegler Yorkshire Group Limited

Country of Origin: UK

Brand: Endex

Details of Fittings: Copper and copper alloy fittings with end feed connection ends

Description	Model	Size
Obtuse Elbow 45°	N21	15, 22, 28, 35, 42, 54 (mm)
Tee	N29	15x ½" x15 (mm x inch x mm)
Tee	N30	15x15x½" (mm x mm x inch)

Body Markings: Index size

Expiry Date: 24 September 2023

In view of BSI granting licence to Pegler Yorkshire Group Limited on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the fresh water plumbing systems in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



N21



N29



N30