



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (6) in WSD 3321/2020 T/J(610/2020)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

19 November 2020

**Approval of “CONEX” Copper Fittings
(General Acceptance No. A20200012)**

Your letters dated 28 May 2020, 24 August 2020 and 9 October 2020 refer.

The licence no. KM 07283 has been examined. It is noted that the British Standards Institution (BSI) has granted Conex Universal Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2020-13 issued on 7 October 2020 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Conex Universal Limited

Country of Origin: the Mainland of China

Brand: Conex

Details of Fittings: Copper alloy fittings with compression ends

Description	Model	Size
Coupler c x c	301	15, 22, 28, 35 (mm)
Reducing Coupler c x c	301	28x22 (mm)

Description	Model	Size
Coupler c x mi	302	15x $\frac{3}{4}$ ", 22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ ", 42x1 $\frac{1}{2}$ " (mm x inch)
Coupler c x mi flange	302B	15x $\frac{1}{2}$ ", 22x $\frac{3}{4}$ ", 28x1" (mm x inch)
Coupler c x fi	303	15x $\frac{1}{2}$ ", 22x $\frac{1}{2}$ ", 22x1", 28x1" (mm x inch)
Stop End c	323	15, 22, 28 (mm)
Elbow c x c	401	22, 35, 42, 54 (mm)
Elbow c x mi	402	22x $\frac{3}{4}$ " (mm x inch)
Elbow c x fi	403	28x1" (mm x inch)
Tee c x c x c	601REE	15x15x22 (mm)
Tee c x c x c	601REB	22x15x15 (mm)
Tee c x c x c	601RB	28x28x15, 28x28x22 (mm)
Equal Tee c x c x c	601EQ	28 (mm)
Tee c x c x fi	617	15x15x $\frac{1}{2}$ " (mm x mm x inch)

Body Markings: CONEX SANBRA EN1254 DN

Expiry Date: 8 May 2022

In view of BSI granting licence to Conex Universal Limited on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,


 (CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



301



302



302B



303



323



401



402



403



601EQ



601RB



601REB



601REE



617

