



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (5) in WSD 3321/2022 T/J(609/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

30 August 2022

**Approval of “PEGLER YORKSHIRE TECTITE CLASSIC”
Copper Fittings
(General Acceptance No. A20220023)**

Your letter ref. Q-0896/22 dated 23 May 2022 and subsequent clarifications by email up to 16 August 2022 refer.

The licence no. KM 15121 has been examined. It is noted that the British Standards Institution (BSI) has granted Aalberts Integrated Piping Systems Ltd the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test reports ref. BC-SUMMARY-2022-044 and BC-SUMMARY-2022-081 issued on 20 April 2022 and 18 July 2022 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Aalberts Integrated Piping Systems Ltd
Country of Origin: UK
Brand: Pegler Yorkshire Tectite Classic
Details of Fittings: Copper alloy fittings with push-fit connection end

Description	Model	Size
Coupling	T1/T270	15, 22, 28 (mm)
Reduced Coupling	T1R/T240	22x15, 28x22 (mm)
Slip Coupling	T1S/T270S	15, 22, 28 (mm)
Female Coupling	T2/T270G	15x½", 22x¾", 28x1" (mm x inch)
Female Coupling (Reducer)	T2/T270G	22x½", 22x1", 28x¾" (mm x inch)
Male Coupling	T3T/T243G	15x½", 22x¾", 28x1" (mm x inch)
Male Coupling (Reducer)	T3T/T243G	22x½", 22x1" (mm x inch)
Male Coupling	T3P	15x½", 22x¾", 28x1" (mm x inch)
Male Coupling (Reducer)	T3P	22x½", 22x1" (mm x inch)
Tank Coupling	T5	15x½" (mm x inch)
Reducer	T6/T243	22x15, 28x15, 28x22 (mm)
Elbow	T12/T090	15, 22, 28 (mm)
Street Elbow	T12S/T092	15, 22, 28 (mm)
Male Elbow	T13/T092G	15x½", 22x¾", 28x1" (mm x inch)
Female Elbow	T14/T090G	15x½", 22x¾", 28x1" (mm x inch)
Backplate Elbow	T15/T471G	15x½", 22x¾" (mm x inch)
Obtuse Elbow	T21/T041	15, 22, 28 (mm)
Obtuse Street Elbow	T21S/T040	15, 22, 28 (mm)
Equal Tee	T24/T130	15, 22, 28 (mm)
Tee	T25/T130	22x22x15, 28x28x15, 28x28x22 (mm)
Tee	T26/T130	22x15x22, 28x15x28, 28x22x28 (mm)
Tee, Red End Bch	T27/T130	22x15x15, 28x22x22 (mm)
Female Branch Tee	T30/T130G	15x15x½", 22x22x½", 22x22x¾" (mm x mm x inch)
Stop End	T61/T301	15, 22, 28 (mm)

Body Markings: Tectite (Size)

Expiry Date: 10 September 2023

In view of BSI granting licence to Aalberts Integrated Piping Systems Ltd on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the fresh water plumbing systems in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



T1/T270



T1R/T240



T1S/T270S



T2/T270G



T3T/T243G



T3P



T5



T6/T243



T12/T090



T12S/T092



T13/T092G



T14/T090G



T15/T471G



T21/T041



T21S/T040



T24/T130



T25/T130



T26/T130



T27/T130



T30/T130G



T61/T301