



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (6) in WSD 3321/2022 T/J(966/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

17 October 2022

**Approval of “CONEX DELCOP” Copper Fittings
(General Acceptance No. A20220027)**

Your letters dated 15 August 2022, 7 September 2022 and 27 September 2022 refer.

The licence no. KM 07283 has been examined. It is noted that the British Standards Institution (BSI) has granted Conex Universal Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2020-156 issued on 4 December 2020 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Conex Universal Limited

Country of Origin: Spain

Brand: Conex Delcop

Details of Fittings: Copper fittings with end feed connection ends

Description	Model	Size (mm)
Coupling (c x c)	DC601/5270	15, 22, 28, 35, 42, 54
Reduced Coupling (c x c)	DC601R/5240	22x15, 28x15, 28x22, 35x28, 42x35




香港環境卓越大獎
Hong Kong Awards for Environmental Excellence



Description	Model	Size (mm)
Fitting Reducer (fitting x c)	DC6012/5243	22x15, 28x15, 28x22, 35x22, 35x28, 42x28, 42x35
45° Elbow	DC606/5041	22, 28
Elbow 90° (c x c)	DC607/5090	15, 22, 28, 35, 42, 54
Tee Equal (c x c x c)	DC611/5130	15, 22, 28
Reducing Tee (c x c x c)	DC611R/5130	22x15x15, 22x15x22, 22x22x15, 28x22x22, 28x28x15, 28x28x22
Cap (c)	DC617/5301	15, 22, 28

Body Markings:



Expiry Date:

8 May 2025

In view of BSI granting licence to Conex Universal Limited on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,

(YAU Hau Yin)

for Director of Water Supplies

Encl.


c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only




DC606 / 5041




DC607 / 5090



DC611 / 5130



DC611R / 5130




DC601R / 5240



DC6012 / 5243



DC617 / 5301



DC601 / 5270