



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2022 T/J(1159/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

23 November 2022

**Approval of "WEDNESBURY" Copper Fittings
(General Acceptance No. A20220031)**

Your letters ref. CYH-WSD-0016 and CYH-WSD-0016(R1) dated 3 October 2022 and 3 November 2022 respectively refer.

The licence no. KM 536466 has been examined. It is noted that the British Standards Institution (BSI) has granted Zhejiang Hailiang Co Ltd the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2022-110 issued on 5 September 2022 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Zhejiang Hailiang Co Ltd

Country of Origin: the Mainland of China

Brand: Wednesbury

Details of Fittings: Copper alloy fittings with solder ring connection ends

Description	Model	Size
Female Elbow 90°	WB14	15x½", 22x¾", 28x1" (mm x inch)
Female Elbow 90°	WB14LC	22x½" (mm x inch)



香港環境卓越大獎
Hong Kong Awards for Environmental Excellence



Description	Model	Size
Male 90° Elbow	WB13	15x½", 22x¾", 28x1" (mm x inch)
Female Tee	WB30	15x15x½" (mm x mm x inch)
Female Tee	WB30R	22x22x½" (mm x mm x inch)
Male Coupler	WB3	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Female Coupler	WB2	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Female Coupler (Reducer)	WB2LC	22x½" (mm x inch)
Wallplate	WB15	15x½", 22x¾" (mm x inch)

Body Markings:**Expiry Date:**

25 August 2024

In view of BSI granting licence to Zhejiang Hailiang Co Ltd on BS EN 1254 / BS 864 Part 2 "Copper and copper alloys – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,

(YAU Hau Yin)

for Director of Water Supplies

Encl.


c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only




WB14



WB14LC




WB13



WB30



WB30R



WB3



WB2LC



WB2



WB15