



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2024 T/J(142/2024)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

26 March 2024

**Approval of “TECTITE SPRINT” Copper Fittings
(General Acceptance No. A20240011)**

Your letters ref. Q-1275/24 and Q-1286/24 dated 6 February 2024 and 5 March 2024 respectively refer.

The licence no. KM 15121 has been examined. It is noted that the British Standards Institution (BSI) has granted Aalberts Integrated Piping Systems Ltd the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2021-7 issued on 26 January 2024 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Aalberts Integrated Piping Systems Ltd

Country of Origin: UK

Brand: Tectite Sprint

Details of Fittings: Copper and copper alloy fittings with push-fit connection end

Copper fittings with push-fit connection end

Description	Model	Size
Coupling	TT1/TT270	15, 22, 28 (mm)
Coupling	TT1	35, 42, 54 (mm)
Reducing Coupling	TT1R/TT240	22x15 (mm)
Reducer	TT6/TT243	22x15, 28x15, 28x22 (mm)
Reducer	TT6	35x15, 35x22, 35x28, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42 (mm)
Elbow	TT12/TT090	15, 22, 28 (mm)
Elbow	TT12	35, 42, 54 (mm)
Street Elbow	TT12S/TT092	15, 22 (mm)
Street Elbow	TT12S	35, 42, 54 (mm)
Obtuse Elbow	TT21/TT041	15, 22, 28 (mm)
Obtuse Elbow	TT21	35, 42, 54 (mm)
Obtuse Street Elbow	TT21S/TT040	15, 22, 28 (mm)
Obtuse Street Elbow	TT21S	35, 42, 54 (mm)
Equal Tee	TT24/TT130	15, 22, 28 (mm)
Equal Tee	TT24	35, 42, 54 (mm)
Tee	TT25	22x22x15, 28x28x15, 28x28x22, 35x35x22, 42x42x22, 54x54x22 (mm)
Tee	TT26	22x15x22, 28x15x28, 28x22x28 (mm)
Tee, Reduced End and Branch	TT27/TT130	22x15x15, 28x22x22 (mm)
Stop End	TT61/TT301	15, 22, 28 (mm)
Straight Tap Connector	TT62/TT062	15x½", 22x¾" (mm x inch)
Bent Tap Connector	TT63/TT063	15x½" (mm x inch)

Copper alloy fittings with push-fit connection end

Description	Model	Size
Female Coupling	TT2/TT270G	15x½", 22x¾", 28x1" (mm x inch)
Straight Female Connector	TT2/TT270G	35x1¼", 42x1½", 54x2" (mm x inch)
Male Coupling	TT3/TT243G	15x½", 22x¾", 28x1" (mm x inch)
Straight Male Connector	TT3	35x1¼", 42x1½", 54x2" (mm x inch)
Male Elbow	TT13/TT092G	15x½", 22x¾" (mm x inch)
Female Elbow	TT14/TT090G	15x½", 22x¾" (mm x inch)
Backplate Elbow	TT15/TT471G	15x½" (mm x inch)
Female Tee	TT30	35x35x½", 35x35x¾", 42x42x½", 42x42x¾", 54x54x½", 54x54x¾", 54x54x1" (mm x mm x inch)
Straight Male Union Connector	TT69	35x1¼", 42x1½", 54x2" (mm x inch)

Body Markings:

For copper fittings:

 size

For copper alloy fittings:

 size**Expiry Date:**

28 September 2024

In view of BSI granting licence to Aalberts Integrated Piping Systems Ltd on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the fresh water plumbing systems in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



TT1/TT270



TT1



TT1R/TT240



TT6/TT243



TT6



TT12/TT090



TT12



TT12S/TT092



TT12S



TT21/TT041



TT21



TT21S/TT040



TT21S



TT24/TT130



TT24



TT25



TT26



TT27/TT130



TT61/TT301



TT62/TT062



TT63/TT063



TT2/TT270G



TT2/TT270G



TT3/TT243G



TT3



TT13/TT092G



TT14/TT090G



TT15/TT471G



TT30



TT69