



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2024 T/J(281/2024)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

5 June 2024

**Approval of “>B< PRESS” Copper Fittings
(General Acceptance No. A20240017)**

Your letters ref. BK2024-CONEXF-001 and BK2024-CONEXF-001(V2) dated 8 April 2024 and 10 May 2024 respectively refer.

The licence no. KM 765052 has been examined. It is noted that the British Standards Institution (BSI) has granted Conex Universal Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test reports ref. BC-SUMMARY-2020-155 and BC-SUMMARY-2021-025 issued on 30 October 2020 and 5 February 2021 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Conex Universal Limited

Country of Origin: Poland

Brand: >B< Press

Details of Fittings: Copper and Copper alloy fittings with press connection ends



Copper alloy fittings:

Description	Model	Size
90° Bend with Male Thread	P4001G	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
90° Bend with Female Thread	P4090G	15x½", 15x¾", 22x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Tee with Female Threaded Branch	P4130G	15x15x½", 22x22x½", 22x22x¾", 28x28x½", 28x28x¾", 35x35x½", 42x42x½", 54x54x½" (mm x mm x inch)
Male Threaded Straight Connector	P4243G	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Female Threaded Straight Connector	P4270G	15x½", 22x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Slip Coupler	P4275	15, 22, 28, 35, 42, 54 (mm)

Copper fittings:

Description	Model	Size
90° Street Bend	P5001	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
90° Bend	P5002	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
45° Obtuse Street Bend	P5040	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
45° Obtuse bend	P5041	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Equal Tee	P5130	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Reducer Tee with Reduced Branch	P5130RB	22x22x15, 28x28x15, 28x28x22, 35x35x15, 35x35x22, 35x35x28, 42x42x22, 42x42x28, 42x42x35, 54x54x22, 54x54x28, 54x54x35, 54x54x42, 66.7x66.7x28, 66.7x66.7x35, 66.7x66.7x42, 66.7x66.7x54, 76.1x76.1x28, 76.1x76.1x35, 76.1x76.1x42, 76.1x76.1x54, 76.1x76.1x66.7, 108x108x54, 108x108x76.1 (mm)
Tee with Female Threaded Branch	P5130G	66.7x¾"x66.7, 66.7x2"x66.7, 76.1x¾"x76.1, 76.1x2"x76.1, 108x¾"x108, 108x2"x108 (mm x inch x mm)
Reducer Tee with Reduced End and Branch	P5130REB	22x15x15, 28x22x15, 28x22x22, 35x28x22, 35x28x28, 42x35x35, 54x42x42 (mm)
Reducer Tee with Reduced End	P5130RE	22x15x22, 28x15x28, 28x22x28 (mm)
Reducer Tee with Reduced Both Ends	P5130RBE	15x15x22, 22x22x28 (mm)
Reducer Straight Coupler	P5240	22x15, 28x22, 35x28, 42x35, 54x42 (mm)
Fitting Reducer - Male x Female	P5243	22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35, 54x35, 54x42, 66.7x28, 66.7x35, 66.7x42, 66.7x54, 76.1x35, 76.1x42, 76.1x54, 76.1x66.7, 108x42, 108x54, 108x66.7, 108x76.1 (mm)

Description	Model	Size
Male Threaded Straight Connector	P5243G	66.7x2½", 76.1x2½", 76.1x3", 108x4" (mm x inch)
Straight Connector	P5270	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Repair Coupler	P5270S	15, 22, 28, 35, 42, 54 (mm)
Repair Coupler	P5275	66.7, 76.1, 108 (mm)

Body Markings:



Expiry Date:

21 October 2025

In view of BSI granting licence to Conex Universal Limited, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,

(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



P4001G




P4090G



P4130G




P4243G



P4270G



P4275



P5001



P5002



P5041



P5040



P5130




P5130RB



P5130RE




P5130G




P5130REB



P5130RBE



P5240



P5243



P5243G



P5270



P5270S



P5275