



水務署
Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong.

電子郵件
e-mail . wsinfo@wsd.gov.hk

電話
Telephone

圖文傳真
Facsimile

2824 0578

檔號
Reference

(4) in WSD 3321/2025 T/J(7/2025)

11 March 2025

**Approval of “TUB-E” Copper Fittings
(General Acceptance No. A20250006)**

Your letters BK2025-AC-TUBEF-TM-001 and BK2025-AC-TUBEF-TM-001 (V2) dated 2 January 2025 and 10 February 2025 refer.

The licence no. KM 670373 has been examined. It is noted that the British Standards Institution (BSI) has granted TM Autocast Co Ltd the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2024-189 issued on 15 November 2024 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: TM Autocast Co Ltd

Country of Origin: Thailand

Brand: tub-e

Details of Fittings: Copper alloy fittings with end feed connection ends

Description	Model	Size
Female 90° Elbow	217	15x½", 22x½", 22x¾", 28x1" (mm x inch)



東江水供港
Hong Kong's Water Supply



香港環境卓越大獎
Hong Kong Awards for Environmental Excellence



15+ years caring organisation
Awarded by The Hong Kong Council of Social Service
香港社會服務會頒發

Description	Model	Size
Male 90° Elbow	218	15x½" (mm x inch)
Female Tee	207	22x22x½", 35x35x¾", 35x35x1", 42x42x¾", 42x42x1", 54x54x¾", 54x54x1" (mm x mm x inch)
Female Cross Tee	208	35x¾", 35x1", 42x¾", 42x1", 54x¾", 54x1" (mm x inch)
Female Coupler	211	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2", 66.7x2½", 76.1x3", 108x4" (mm x inch)
Female Coupler (Reducer)	211	22x½" (mm x inch)
Male Coupler	212	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2", 66.7x2½", 76.1x3", 108x4" (mm x inch)

Body Markings: tub-e

Expiry Date: 31 December 2027

In view of BSI granting licence to TM Autocast Co Ltd on BS EN 1254 / BS 864 Part 2 "Copper and copper alloy – Plumbing fittings" as mentioned above, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



Female 90° Elbow



Male 90° Elbow



Female Tee



Female Cross Tee



Female Coupler



Female Coupler
(Reducer)



Male Coupler