



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵遞
e-mail wsdinfo@wsd.gov.hk

電話
Telephone 2829 4355

圖文傳真
Facsimile 2824 0578

檔號
Reference (8) in WSD 3321/17 Pt.1 T/J(37)

13 March 2017

Approval of "MEIDE" Butterfly Valves

Your letter dated 16 January 2017 and subsequent clarification by email on 28 February 2017 refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed.

Name of Manufacturer: Jinan Meide Casting Co Ltd

Country of Origin: China

Brand: Meide

Details of Fittings: Range of lugged, wafer and flanged type butterfly valves incorporating a ductile iron body (red or blue epoxy coated), ductile iron disc (nickel coated) and EPDM rubber seats. Maximum working pressure 16.0 bar. Maximum operating temperature 70°C. (with epoxy powder coating under WRAS approval no. 1701509)

Model: D71X4, D371X4 & XD371X4

Size: 50mm, 65mm, 80mm, 100mm, 150mm, 200mm,
250mm & 300mm

Marking:  and tech information on data plate

WRAS Approval Number: 1609361

Installation Requirements: R001

Expiry Date: 30 September 2021

Proviso: The fittings can only be used in non-potable water plumbing system.

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems, flushing water plumbing systems and fire services subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fail to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.


Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 2294 2656.

Yours faithfully,



(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



D71X4



D371X4



XD371X4