



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓

Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵遞

e-mail

wsdinfo@wsd.gov.hk

電話

Telephone

2829 4355

圖文傳真

Facsimile

2824 0578

檔號

Reference

(4) in WSD 3321/17 Pt.1 T/J(702)

12 July 2017

Approval of "OR" Pressure Reducing Valves

Your letters ref. WSD/AP-13062017-1 and WSD/AP-13062017-1(1) dated 13 June 2017 and 16 June 2017 respectively refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed.

Name of Manufacturer: Officine Rigamonti Spa

Country of Origin: Italy

Brand: OR

Details of Fittings: Range of pressure reducing valves with DZR brass bodies adjustable between 1 and 12 bar. Maximum inlet pressure 25.0 bar. Maximum operating temperature 80°C

Model & Size:

Model	Size (mm)
216.015	1/2" BSP (M) X 1/2" BSP (M) bush reducer
216.016	1/2" BSP (M) X 1/2" BSP (M) bush reducer
216.020	3/4" BSP (M) X 3/4" BSP (M) bush reducer
216.021	3/4" BSP (M) X 3/4" BSP (M) bush reducer
216.025	1" BSP (M) X 1" BSP (M) bush reducer
216.026	1" BSP (M) X 1" BSP (M) bush reducer
216.033	1 1/4" BSP (M) X 1 1/4" BSP (M) bush reducer
216.034	1 1/4" BSP (M) X 1 1/4" BSP (M) bush reducer
216.042	1 1/2" BSP (M) X 1 1/2" BSP (M) bush reducer
216.043	1 1/2" BSP (M) X 1 1/2" BSP (M) bush reducer
216.050	2" BSP (M) X 2" BSP (M) bush reducer
216.051	2" BSP (M) X 2" BSP (M) bush reducer

Marking:

OR, DN size, CR, made in Italy on body. OR and Pressure range on adjusting body.

WRAS Approval Numbers: 1704308

Installation Requirement: R001

Expiry Date: 30 April 2022

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fail to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 2294 2656.

Yours faithfully,



(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



216.015/ 216.016/ 216.020/ 216.021/
216.025/ 216.026/ 216.033/ 216.034/
216.042/ 216.043/ 216.050/ 216.051