



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (9) in WSD 3321/17 Pt.1 T/J(1159)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

7 September 2018

**Approval of “LESSO” Stainless Steel Pipes
(General Acceptance No. B20180046)**

Your letter ref. LS/ICS/WSD/1703066/67P dated 25 August 2017 and subsequent submission received by this department on 17 August 2018 refer.

It is noted that the pipes described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Pipes) Regulations / Scottish Water Byelaws when correctly installed.

Name of Manufacturer: Guangdong Liansu Technology Industrial Co Ltd

Country of Origin: China

Brand: Lesso

Details of Pipes: LS9111-0101 series welded stainless steel pipe. For above ground use only. Maximum working pressure 16.0 Bar. Maximum operating temperature 85°C.

Size: 15mm, 20mm, 25mm, 32mm, 40mm, 50mm, 65mm, 80mm, 100mm, 125mm, 150mm, 200mm

Body Markings: LESSO, size, PN and date of manufacture (YYYY/M/DD) on pipe

WRAS Approval Number: 1703067

Installation Requirements: R001

Expiry Date: 31 March 2022

In view of the acceptance by WRAS, this Authority has no objection to the use of the said pipes in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the pipes to be installed should be replicas of the samples certified by WRAS and no modification should be made to the pipes. This acceptance may be withdrawn at any time if the standard of the pipes installed fail to meet that of the approved samples or if the pipes are found to be unsuitable for use in fresh water plumbing systems.

For the use of the pipes in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the pipes by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only