



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2021 T/J(300/2021)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

26 March 2021

**Approval of "SPEEDFIT" PE-X Fittings
(General Acceptance No. B20210021)**

Your letters ref. WSD/AP-05022021-1 and WSD/AP-04122020-1(1) dated 5 February 2021 and 3 March 2021 respectively refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fittings described below based on the WRAS certificate comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Reliance Worldwide Corporation (UK) Limited

Country of Origin: UK

Brand: Speedfit

Details of Fittings: PE-X fittings in white colour

Description	Size (mm)
Reducing Straight Connector	22x15
Reducer	22x15, 28x15, 28x22

Description	Size (mm)
Reducing Elbow	22x15
135° Stem Elbow	15, 22
Stem Elbow	15, 22
Equal Elbow	15, 22, 28
Reducing Tee	15x15x22, 22x15x15, 22x15x22, 22x22x15, 28x22x22, 28x22x28, 28x28x15, 28x28x22
Stem Tee	22x22x15
Equal Tee	15, 22, 28

Marking: JG on body. JG & size on collet.

WRAS Approval Number: 1809901

Installation Requirements: R001

Expiry Date: 30 September 2023

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



Reducing Straight Connector



135° Stem Elbow



Reducing Tee



Reducer



Stem Elbow



Stem Tee



Reducing Elbow



Equal Elbow



Equal Tee