



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (6) in WSD 3321/2022 T/J(832/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

5 September 2022

**Approval of “JIANGLIN” Flexible Hoses
(General Acceptance No. B20220024)**

Your letter ref. D73A/2022/0660 dated 14 July 2022 and subsequent submissions received by this department up to 17 August 2022 refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fittings described below based on the WRAS certificate comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Yuhuan Jianglin Plumbing Hose & Parts Inc
Country of Origin: the Mainland of China
Brand: Jianglin
Details of Fitting: Stainless steel braided inlet flexible hose for tap/mixer
Model: JL-09*35-06-SS-2-047
JL-09*35-06-SS-2-060

Size: Bore diameter: 6mm
End connection: F1/2"

Body Markings: Jianglin, WRAS & year of manufacture (YYYY) on ferrule

WRAS Approval Number: 2006355

Installation Requirements: R001, R008
(Appendix A of WRAS approval letter refers)

Expiry Date: 30 June 2025

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.” AND

“The inlet flexible hoses are applied for the water tap or mixer connection only and installed in the fresh water plumbing systems.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only

General Acceptance No. B20220024



JL-09*35-06-SS-2-047



JL-09*35-06-SS-2-060