



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (6) in WSD 3321/2022 T/J(1314/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

20 December 2022

**Approval of “KEMBLA” Copper Fittings
(General Acceptance No. B20220029)**

Your letters dated 16 November 2022 and subsequent submissions received by this department up to 5 December 2022 refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fittings described below based on the WRAS certificate and test report ref. BC-SUMMARY-2022-123 issued on 23 November 2022 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Taizhou Top-Asia Machine Co Ltd

Country of Origin: The Mainland of China

Brand: Kembla

Details of Fittings: Copper fittings with solder ring connection ends

Description	Model	Size (mm)
90° Elbow	SEN	15, 22, 28, 35, 42, 54

Description	Model	Size (mm)
45° Elbow	SEF	15, 22, 28, 35, 42, 54
Equal Tee	STR	15, 22, 28, 35, 42, 54
Both End Reduced Tee	STR-BER	15x15x22, 22x22x28
Reduced Branch Tee	STR-RB	22x22x15, 28x28x15, 28x28x22, 35x35x15, 35x35x22, 35x35x28, 42x42x15, 42x42x22, 42x42x28, 42x42x35, 54x54x22, 54x54x28, 54x54x35, 54x54x42
Reduced Ends & Branch Tee	STR-REB	22x15x15, 28x22x22
Reduced End Tee	STR-RE	22x15x22, 28x22x28
Straight Coupling	SCC	15, 22, 28, 35, 42, 54
Reducing Coupling	SRR	22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42
Bushing Reducer	SNN	22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42
Tube Cap	SKK	15, 22

Body Markings:



EN 1254-1 size in mm

WRAS Approval Number: 2207332

Installation Requirements: R001

(Appendix A of WRAS approval letter refers)

Expiry Date:

31 July 2027

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)
for Director of Water Supplies

Encl.

c.c.	WSD 3321/1/82	] - without catalogue
	ME/MC	] - with soft copy only



SEN



SEF



STR



STR-BER



STR-RB




STR-REB




STR-RE




SCC



SRR



SNN



SKK