



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2024 T/J(1282/2024)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

10 December 2024

**Approval of “PEGLER YORKSHIRE” Copper Fittings
(General Acceptance No. B20240029)**

Your letters ref. Q-1431/24 and Q-1444/24 dated 28 October 2024 and 18 November 2024 respectively refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fittings described below based on the WRAS certificate and test report ref. BC-SUMMARY-2024-180 issued on 11 November 2024 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Aalberts Integrated Piping Systems Ltd

Country of Origin: UK

Brand: Pegler Yorkshire

Details of Fittings: Copper alloy fittings with solder ring connection ends

Description	Model	Size
Straight Female Connector	YP2	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)



Description	Model	Size
Female Reducing Connector	YP2LC	22x½" (mm x inch)
Straight Male Connector	YP3	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Male Reducing Connector	YP3LC	22x½" (mm x inch)
Male Reducing Connector	YP3LI	1"x22 (inch x mm)
Female Adaptor	YP7	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Male Adaptor	YP8	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Union Coupling	YP11	15, 22, 28, 35, 42, 54 (mm)
Male Elbow	YP13	15x½", 22x¾" (mm x inch)
Female Elbow	YP14	15x½", 22x¾" (mm x inch)
Reducing Female Elbow	YP14LC	22x½" (mm x inch)
Backplate Elbow	YP15	15x½", 22x¾" (mm x inch)
Backplate Elbow	YP15LN	15x½" (mm x inch)
Female Tee	YP29R	35x½"x35 (mm x inch x mm)
Female Tee	YP30R	35x35x½", 35x35x¾", 42x42x½" (mm x mm x inch)

Body Markings: BSI Kitemark, size and  on body

WRAS Approval Number: 2010800

Installation Requirements: R001
(Appendix A of WRAS approval letter refers)

Expiry Date: 31 December 2026

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer
Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



YP2



YP2LC



YP3



YP3LC



YP3LI



YP7



YP8



YP11



YP13



YP14



YP14LC



YP15



YP15LN



YP29R



YP30R