



水務署
Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong.

電子郵遞
e-mail

wsdinfo@wsd.gov.hk

電話
Telephone

圖文傳真
Facsimile

2824 0578

檔號
Reference

(4) in WSD 3321/2025 T/J(109/2025)

24 March 2025

**Approval of “TECTITE CLASSIC” Copper Fittings
(General Acceptance No. B20250006)**

Your letters ref. Q-1513/24 and Q-1533/25 dated 12 February 2025 and 26 February 2025 respectively refer.

It is noted that the fittings described below have been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fittings described below based on the WRAS certificate and test report ref. BC-SUMMARY-2025-026 issued on 7 January 2025 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Aalberts Integrated Piping Systems Ltd

Country of Origin: UK

Brand: Tectite Classic

Details of Fittings: Copper alloy fittings with push-fit connection end

Description	Model	Size
Reduced Coupling	T1R/T240	22x15, 28x22 (mm)



東江水供港
Chungling Zhen Water Supply to Hong Kong



香港環境卓越大獎
Hong Kong Awards for Environmental Excellence



15 years+ 同心長關懷
Awarded by the Hong Kong Council of Social Service
香港社會服務會頒發

Description	Model	Size
Straight Female Connector (Reducer)	T2/T270G	22x½", 22x1", 28x¾" (mm x inch)
Straight Male Connector (Reducer)	T3T/T243G	22x½", 22x1" (mm x inch)
Straight Male Connector (Reducer)	T3P	22x1" (mm x inch)
Reducer Larger End Male	T6/T243	22x15, 28x15, 28x22 (mm)
Stop End	T61/T301	15, 22, 28 (mm)

Body Markings: Tectite, CR & size on fitting body

WRAS Approval Number: 241288002

Installation Requirements: R001
(Appendix A of WRAS approval letter refers)

Expiry Date: 31 December 2026

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

“Installation shall comply with the ‘Installation Requirements & Notes’ of the WRAS’s approval letter concerned.”

A condition of this acceptance is that the fittings to be installed should be replicas of the samples certified by WRAS and no modification should be made to the fittings. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer
Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



T1R/T240



T2/T270G



T3T/T243G



T3P



T6/T243



T61/T301