



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓

Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵件

e-mail

wsdinfo@wsd.gov.hk

電話

Telephone

2829 4355

圖文傳真

Facsimile

2824 0578

檔號

Reference

(4) in WSD 3321/16 Pt.1 T/J(1308)

20 October 2016

Approval of "TYT" Gate Valves

Your letters ref. WSD-12-09-2016 and WSD-11-10-2016 dated 12 September 2016 and 11 October 2016 respectively refer.

Brand	Model No. (Size)	Nutek Test Report Ref.	Issuance Date
TYT	TYTG-2SS (15mm)	J17751Ar3	7 October 2016
TYT	TYTG-2SS (20mm)	J17751Br3	7 October 2016
TYT	TYTG-2SS (25mm)	J17751Cr3	7 October 2016
TYT	TYTG-2SS (32mm)	J17751Dr3	7 October 2016
TYT	TYTG-2SS (40mm)	J17751Er3	7 October 2016
TYT	TYTG-2SS (50mm)	J17751Fr3	7 October 2016
TYT	TYTG-2SS (65mm)	J17751Gr3	7 October 2016
TYT	TYTG-2SS (80mm)	J18253r2	6 October 2016
TYT	TYTG-2SS (100mm)	J18538Br2	6 October 2016

Having considered the above test reports issued by the Nutek Systems (HK) Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: M/s Goodyear Valves Works Corp

Country of Origin: Taiwan

Brand: TYT

Details of Fittings: Stainless steel gate valves with female screw ends

Model: TYTG-2SS

Sizes: 15mm, 20mm, 25mm, 32mm, 40mm, 50mm, 65mm, 80mm, 100mm

Body Markings: size in inch
300 T.Y.T.
CF8M

Expiry Date: 28 July 2021

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. On the other hand, the installation of the above fittings in fire services plumbing systems may be allowed subject to the compliance of the relevant Waterworks requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.


Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 2294 2656.

Yours faithfully,



(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



TYTG-2SS