



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓

Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵遞

e-mail

wsdinfo@wsd.gov.hk

電話

Telephone

2829 4355

圖文傳真

Facsimile

2824 0578

檔號

Reference

(4) in WSD 3321/17 Pt.1 T/J(466)

9 June 2017

Approval of "ROCA" Mechanical Mixers

Your letters ref. RSL-Cert-17002 dated 21 April 2017 and ref. RSL-Cert-17002R1 dated 10 May 2017 refer.

Brand	Model No. (Size)	Nutek Test Report Ref.	Issuance Date
Roca	5A3B09xxx (1/2")	J20351	20 Mar 2017
Roca	5A3020xxx (1/2")	J20353	20 Mar 2017
Roca	5A0120xxx (1/2")	J20355	20 Mar 2017
Roca	5A0131xxx (1/2")	J20489	20 Mar 2017

Having considered the above test reports issued by the Nutek Systems (HK) Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Roca Sanitaryware (Suzhou) Co Ltd

Country of Origin: China

Brand: Roca

Details of Fittings:

1. 1/2" L20 monoblock basin mixer
Model: 5A3B09xxx
(where "xxx" denote the code of finish)
2. 1/2" Escuadra monoblock basin mixer
Model: 5A3020xxx
(where "xxx" denote the code of finish)
3. 1/2" Escuadra wall mounted bath/shower mixer with automatic diverter
Model: 5A0120xxx
(where "xxx" denote the code of finish)
4. 1/2" Esmal wall mounted bath/shower mixer with automatic diverter
Model: 5A0131xxx
(where "xxx" denote the code of finish)

Body Markings:**Expiry Date:**

For model 5A3B09xxx & 5A3020xxx:
15 February 2022

For model 5A0120xxx:
21 February 2022

For model 5A0131xxx:
26 February 2022

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

“The cold water supply to the fittings shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply.” AND

“The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use.”

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fittings, unless other specified.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 2294 2656.

Yours faithfully,



(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



5A3B09xxx



5A3020xxx



5A0120xxx



5A0131xxx