



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵件
e-mail wsdinfo@wsd.gov.hk

圖文傳真
Facsimile 2824 0578

檔號
Reference (6) in WSD 3321/18 Pt.1 T/J(25)

11 April 2018

Approval of "SLOAN" Sensor Taps

Your letter dated 5 January 2018 and subsequent submission received by this department on 27 March 2018 refer.

Brand	Model No.	Nutek Test Report Ref.	Issuance Date
Sloan	EFX200	J21654A-1r2	23 Mar 2018
Sloan	EFX250	J21654A-2r2	23 Mar 2018
Sloan	EFX275	J21654A-3r2	23 Mar 2018
Sloan	EFX300	J21655A-1r1	8 Mar 2018
Sloan	EFX350	J21655A-2r1	8 Mar 2018

Having considered the above test reports issued by the Nutek Systems (HK) Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Sloan Valve Company

Country of Origin: Switzerland

Brand: Sloan

Details of Fittings: 3/8" Sensor tap

Models: EFX200, EFX250, EFX275, EFX300, EFX350

Body Markings: SLOAN

Expiry Date: For model EFX200, EFX250, EFX275:
7 September 2022

For model EFX300, EFX350:
14 September 2022

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"A stop cock or gate valve must be installed at the upstream of the fittings for manual isolation of water supply." AND

"The main voltage operated sensor valve should comply with the electricity safety regulation for applications in bathroom, toilet etc."

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fail to meet that of the approved sample or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fittings, unless other specified.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



EFX 200



EFX 250



EFX 275



EFX 300



EFX 350