



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵件
e-mail wsdinfo@wsd.gov.hk

圖文傳真
Facsimile 2824 0578

檔號
Reference (4) in WSD 3321/18 Pt.1 T/J(315)

24 May 2018

Approval of "IPLEX" UPVC Fittings

Your letters ref. BK2018-VM-1011 and BK2018-VM-1011(R1) dated 21 March 2018 and 4 May 2018 respectively refer.

Having considered the test reports ref. BC-SUMMARY-2018-22 issued on 24 January 2018 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Iplex Pipelines Australia Pty Limited

Country of Origin: Australia

Brand: Iplex

Details of Fittings: uPVC fittings in white colour

Description	Size (mm)
Plain 90° Elbow	15, 20, 25, 32, 40, 50, 65, 80, 100, 150
Plain 45° Elbow	15, 20, 25, 32, 40, 50, 65, 80, 100, 150
Faucet 90° Elbow	15, 20, 25

Description	Size (mm)
Plain Tee	15, 20, 25, 32, 40, 50, 65, 80, 100, 150
Reducing Tee	20x15, 25x15, 25x20, 32x15, 32x20, 32x25, 40x15, 40x20, 40x25, 40x32, 50x15, 50x20, 50x25, 50x32, 50x40, 65x32, 65x40, 65x50, 80x40, 80x50, 150x100
Coupling Reducer	20x15, 25x15, 25x20, 32x25, 40x32, 50x25, 50x32, 50x40, 65x50, 80x50, 80x65, 100x50, 100x80, 150x100
Bush Reducer	20x15, 25x20, 32x20, 32x25, 40x25, 40x32, 50x40, 65x50, 80x50, 100x50, 100x80

Body Markings: iPLex size

Expiry Date: 11 August 2022

Proviso: As the fittings have not been tested for use in contact with water intended for human consumption, the fittings can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fittings in flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in flushing water plumbing systems.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Terry KUNG at tel. no. 3583 4086.

Yours faithfully,


(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



Plain 90° Elbow



Plain 45° Elbow



Faucet 90° Elbow



Plain Tee



Reducing Tee



Coupling Reducer



Bush Reducer