



水務署

Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong

電子郵遞
e-mail wsdinfo@wsd.gov.hk

圖文傳真
Facsimile 2824 0578

檔 號
Reference (2) in WSD 3321/18 Pt.1 T/J(439)

25 May 2018

Approval of "VINIDEX" UPVC Fittings

Your letter dated 16 April 2018 refers.

Having considered the test reports ref. PMA73826 and AGA80003 issued on 16 August 2017 and 30 December 2017 by ETS-Testconsult Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Guangzhou Lifan Plastics Co Ltd

Country of Origin: China

Brand: Vinidex

Details of Fittings: uPVC fittings in white colour

Description	Size (mm)	Body Marking
90° Elbows	15	Vinidex AS/NZS 1477.2 15mm UPVC CLASS 18
	20	Vinidex AS/NZS 1477.2 20mm UPVC CLASS 18
	25	Vinidex AS/NZS 1477 UPVC PN18 25mm 90°
	32	Vinidex AS/NZS 1477.2 32mm UPVC CLASS 18
	40	Vinidex 40mm PVC CLASS 18 AS 1477

Description	Size (mm)	Body Marking
90° Elbows	50	Vinidex AS/NZS 1477.2 50mm UPVC CLASS 18
	65	Vinidex AS 1477 CLASS 12 UPVC 65mm
45° Elbows	15	VX PVC 15 AS 1477.2 CLASS 18
	20	Vinidex AS/NZS 1477.2 20mm 45° UPVC CLASS 18
	25	Vinidex AS/NZS 1477.2 25mm 45° UPVC CLASS 18
	32	VX uPVC 32 CLASS 18 AS 1477.2
	40	Vinidex V1 AS 1477.2 40mm PVC CLASS 18 CAT 10
	50	Vinidex V1 AS 1477.2 50mm PVC CLASS 18 CAT 10
	65	Vinidex AS/NZS 1477.2 65mm UPVC CLASS 12
90° Faucet Elbows	15	Vinidex 15mm UPVC AS/NZS 1477.2 CLASS 18
	20	Vinidex AS 1477.2 3X CLASS 18 CAT 15 PVC 20mm x 20mm
	25	Vinidex CLASS 18 AS 1477.2 25 PVC
Tees	15 x 15	Vinidex CLASS 18 AS 1477.2 15 PVC
	20 x 20	Vinidex AS/NZS 1477.2 20mm UPVC CLASS 18
	25 x 25	Vinidex AS 1477.2 V4 25mm PVC CLASS 18 CAT 19
	32 x 32	Vinidex AS/NZS 1477.2 32mm UPVC CLASS 18
	40 x 40	Vinidex 40mm UPVC AS/NZS 1477
	50 x 50	Vinidex AS/NZS 1477 50mm UPVC PN18
	65 x 65	Vinidex AS/NZS 1477.2 65mm UPVC CLASS 12
	20 x 15	Vinidex 20mm x 15mm UPVC AS/NZS 1477 PN18
	25 x 15	Vinidex AS/NZS1477 25mm x 15mm UPVC PN18
	25 x 20	Vinidex AS/NZS1477 25mm x 20mm UPVC PN 18
	32 x 20	Vinidex PVC AS1477.2 CLASS 18 32 x 20mm
	32 x 25	Vinidex PVC AS1477.2 CLASS 18 32 x 25mm
	40 x 15	Vinidex 40mm CLASS 18 PVC AS 1477.2 40 x 15
	40 x 20	Vinidex PVC AS 1477 2 CLASS 18 20mm 40
	40 x 25	Vinidex PVC AS 1477 2 CLASS 18 25mm 40
	40 x 32	Vinidex 40mm CLASS 18 PVC AS 1477.2 40 x 32
	50 x 15	Vinidex AS/NZS1477 50mm x 15mm UPVC PN 18
	50 x 20	Vinidex AS/NZS1477 50mm x 20mm UPVC PN 18
	50 x 25	Vinidex AS/NZS1477 50mm x 25mm UPVC PN 18
	50 x 32	Vinidex AS/NZS1477 50mm x 32mm UPVC PN 18
	50 x 40	Vinidex AS/NZS1477 50mm x 40mm UPVC PN 18
	65 x 50	Vinidex AS/NZS1477 65mm x 50mm UPVC PN 18
Reducing Couplings	20 x 15	Vinidex AS/NZS1477.2 20x15MM UPVC CLASS 18
	25 x 15	AS1477.2 CLASS 18 VX PVC 25 15MM
	25 x 20	AS1477.2 CLASS 18 VX UPVC 20mm 25x20
	32 x 20	Vinidex CLASS 18 PVC AS1477.2 32mm 32x20
	32 x 25	Vinidex CLASS 18 PVC AS1477.2 32mm 32x25
	40 x 15	AS1477.2 PVC Vinidex CLASS 18 40 15MM
	40 x 20	PVC Vinidex 20 AS1477.2 CLASS 18 40
	40 x 25	40 x 25 VX AS1477.2 UPVC CLASS 18
	40 x 32	AS1477.2 PVC Vinidex CLASS 18 40 32
	50 x 20	AS1477.2 CLASS 18 VX UPVC 20mm 50mm
	50 x 25	AS1477.2 CLASS 18 VX PVC 25 50mm
	50 x 32	Vinidex UPVC 32mm CLASS 18 AS 1477.2 50mm

Description	Size (mm)	Body Marking
Reducing Couplings	50 x 40	50 x 40 VX AS1477.2 UPVC CLASS 18 50mm
	65 x 50	Vinidex 65mm x 50mm CLASS 12 UPVC AS 1477 421191
	80 x 50	Vinidex 80mm x 50mm CAT 8 PVC AS1477-2 CLASS 18
	80 x 65	Vinidex 80mm x 65mm CLASS 12 UPVC AS1477 421199
Reducing Bushes	20 x 15	Vinidex PN18 UPVC AS/NZS1477 20x15
	25 x 15	AS1477.2 CLASS 18 VX UPVC 20mm 25x15
	25 x 20	Vinidex PN18 UPVC AS/NZS1477 25x20
	32 x 25	Vinidex PN18 UPVC AS/NZS1477 32x25
	40 x 32	VX UPVC 32x40 CLASS 18
	50 x 25	UPVC AS/NZS1477 PN18 50x25
	50 x 40	VX AS1477.2 CLASS 18 UPVC 50x40
	65 x 50	Vinidex AS/NZS1477.2 65x50mm UPVC ASS 12

Expiry Date: 3 August 2022

This Authority hereby permits the use of the above fittings in fresh water plumbing systems and flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fail to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the Acceptance Reference Number at the bottom of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,


(CHAN Chung Kun)
for Water Authority

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only




Reducing Bushes



Reducing Couplings



90° Elbows



45° Elbows



90° Faucet Elbows



Tees