



總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/18 Pt.1 T/J(564)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

3 July 2018

Approval of "N.U" Stainless Steel Fittings (General Acceptance No. C20180374)

Your letters ref. DPPL/PT/053/2018 and DPPL/PT/057/2018 dated 30 May 2018 and 6 June 2018 respectively refer.

Having considered the test report ref. BC-SUMMARY-2018-66 issued on 28 May 2018 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Shenzhen Artway Piping Company Limited

Country of Origin: China

Brand: N.U

Details of Fittings: Stainless steel fittings with press ends connection

Description	Model	Size
90° Elbow	90°E	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)
90° Reducing Elbow	90°ER	20x15, 25x15, 25x20, 32x20, 32x25 (mm)
90° Female Elbow	90°EF	15x½", 20x½", 20x¾", 25x1", 32x1¼", 42x1½", 50x2" (mm x inch)
90° Elbow	90°ED	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)

Description	Model	Size
90° Male Elbow	90°EM	15x½", 20x½", 20x¾", 25x1", 32x¾", 32x1¼", 42x1½", 50x2" (mm x inch)
45° Elbow	45°E	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)
45° Elbow	45°ED	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)
Equal Tee	3T	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)
Reducing Tee	3TR	20x15x20, 25x15x25, 25x20x25, 32x15x32, 32x20x32, 32x25x32, 40x15x40, 40x20x40, 40x25x40, 40x32x40, 50x15x50, 50x20x50, 50x25x50, 50x32x50, 50x40x50, 65x40x65, 65x50x65, 80x50x80, 80x65x80, 100x50x100, 100x65x100, 100x80x100 (mm)
Female Equal Tee	3TF	15x½", 20x¾", 25x1", 32x1¼", 42x1½", 50x2" (mm x inch)
Male Equal Tee	3TM	15x½", 20x¾", 25x1", 32x1¼", 42x1½", 50x2" (mm x inch)
Female Reducing Tee	3TRF	20x½", 25x½", 25x¾", 32x½", 32x¾", 32x1", 40x½", 40x¾", 40x1", 40x1¼", 50x½", 50x¾", 50x1", 50x1¼", 50x1½" (mm x inch)
Male Reducing Tee	3TRM	20x½", 25x½", 25x¾", 32x½", 32x¾", 32x1", 40x½", 40x¾", 40x1", 40x1¼", 50x½", 50x¾", 50x1", 50x1¼", 50x1½" (mm x inch)
Straight Coupling	S	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)
Straight Coupling	SK	15, 20, 25, 32, 40, 50, 65, 80, 100 (mm)
Male Coupling	SM	15x½", 20x¾", 25x1", 32x1¼", 42x1½", 50x2" (mm x inch)
Male Reducing Coupling	SRM	25x½", 25x¾", 32x¾", 32x1", 40x1", 40x1¼", 50x1¼", 50x1½" (mm x inch)
Female Coupling	SF	15x½", 20x¾", 25x1", 32x1¼", 42x1½", 50x2" (mm x inch)
Female Reducing Coupling	SRF	25x½", 25x¾", 32x¾", 32x1", 40x1", 40x1¼", 50x1¼", 50x1½" (mm x inch)
Reducer	SR	20x15, 25x15, 25x20, 32x20, 32x25, 40x25, 40x32, 50x32, 50x40, 65x50, 80x65, 100x65, 100x80 (mm)
Reducer	SPR	20x15, 25x15, 25x20, 32x15, 32x20, 32x25, 40x15, 40x20, 40x25, 40x32, 50x15, 50x20, 50x25, 50x32, 50x40 (mm)
Straight Coupler	HF	15x½", 20x¾", 25x1", 32x1¼", 42x1½", 50x2" (mm x inch)

Body Markings: N • U SUS316L EN10312 model size

Expiry Date: 7 May 2023

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c.	WSD 3321/1/82	] - without catalogue
	ME/MC	] - with soft copy only



90° E



90° ER



90° EF



90° ED



90° EM



45° E



45° ED



3T



3TR




3TF



3TM



3TRF



3TRM



S



SK



SM



SRM



SF



SRF



HF



SR



SPR