



總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (8) in WSD 3321/18 Pt.1 T/J(784)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

23 November 2018.

Approval of “DUCKY” Stainless Steel Fittings (General Acceptance No. C20180800)

Your letter ref. HAJ-DUCKY-9203-17 dated 10 July 2018 and subsequent submission received by this department on 30 October 2018 refer.

Having considered the test report ref. BC-SUMMARY-2018-68 issued on 26 October 2018 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Foshan Changjunbao Guanye Keji Youxian Gongsi

Country of Origin: the Mainland of China

Brand: Ducky

Details of Fittings: Stainless steel fittings with compression ends connection (304)

Description	Size
90° Elbow	15, 22, 28, 35, 42, 54, 66 (mm)
45° Elbow	15, 22, 28, 35, 42 (mm)
90° Reducer Elbow	22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35 (mm)

Description	Size
90° Female Bend	22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ " (mm x inch)
Wall Plate Elbow	15x $\frac{1}{2}$ " (mm x inch)
Coupler	15, 22, 28, 35, 42, 54, 66 (mm)
Equal Tee	15, 22, 28, 35, 42, 54, 66 (mm)
Unequal Tee	22x15x22, 28x15x28, 28x22x28, 35x15x35, 35x22x35, 35x28x35, 42x22x42, 42x28x42, 42x35x42, 54x15x54, 66x54x66 (mm)
Bushing Tee	28x $\frac{3}{4}$ "x28, 28x1"x28, 35x $\frac{3}{4}$ "x35, 35x1"x35, 35x1 $\frac{1}{4}$ "x35 (mm x inch x mm)
Reducing Cross Tee	28x22x28x22, 42x28x42x28 (mm)
Reducer	22x15, 28x22, 35x28, 42x35, 54x15, 54x22, 54x28, 54x35, 66x54 (mm)
Female Thread Coupler	22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ " (mm x inch)
Male Thread Coupler	15x $\frac{1}{2}$ ", 35x1 $\frac{1}{4}$ " (mm x inch)

Body Markings: DUCKY size 304

Expiry Date: 23 October 2023

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



90° ELBOW



45° ELBOW



90° REDUCER ELBOW



90° FEMALE BEND



WALL PLATE ELBOW



COUPLER



**FEMALE THREAD
COUPLER**



**MALE THREAD
COUPLER**



EQUAL TEE



UNEQUAL TEE



BUSHING TEE



**REDUCING CROSS
TEE**



REDUCER