



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/18 Pt.1 T/J(1324)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

21 January 2019

**Approval of “HW” Ball Valves
(General Acceptance No. C20190065)**

Your letters dated 29 November 2018 and 18 December 2018 refer.

Brand	Model No.	Fugro Test Report Ref.	Issuance Date
HW	HWQ11F-16RDN15	182541PC180063	23 Nov 2018
HW	HWQ11F-16RDN20	182541PC180063(1)	23 Nov 2018
HW	HWQ11F-16RDN25	182541PC180063(2)	23 Nov 2018
HW	HWQ11F-16RDN32	182541PC180063(3)	23 Nov 2018
HW	HWQ11F-16RDN40	182541PC180063(4)	23 Nov 2018
HW	HWQ11F-16RDN50	182541PC180063(5)	23 Nov 2018
HW	HWQ41F-16RDN65	182541PC180063(6)	23 Nov 2018
HW	HWQ41F-16RDN80	182541PC180063(7)	23 Nov 2018
HW	HWQ41F-16RDN100	182541PC180063(8)	23 Nov 2018
HW	HWQ41F-16RDN150	182541PC180063(9)	23 Nov 2018

Having considered the above test reports issued by the Fugro Technical Services Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Hopewell Building Materials Co Ltd

Country of Origin: the Mainland of China



Brand: HW

Details of Fittings: Stainless steel ball valve

Model and Size: HWQ11F-16RDN15 – 15mm
 HWQ11F-16RDN20 – 20mm
 HWQ11F-16RDN25 – 25mm
 HWQ11F-16RDN32 – 32mm
 HWQ11F-16RDN40 – 40mm
 HWQ11F-16RDN50 – 50mm
 HWQ41F-16RDN65 – 65mm
 HWQ41F-16RDN80 – 80mm
 HWQ41F-16RDN100 – 100mm
 HWQ41F-16RDN150 – 150mm

Body Markings: For size 15mm to 50mm:
 HW size in inch 316

For size 65mm to 150mm:
 HW size in DN 16 316

Expiry Date: 14 August 2023

This Authority hereby permits the use of the above fittings in fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fail to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,




(CHAN Chung-kun)


for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



HWQ11F-16RDN15 / HWQ11F-16RDN20 /
 HWQ11F-16RDN25 / HWQ11F-16R DN32 /
 HWQ11F-16RDN40 / HWQ11F-16RDN50



HWQ41F-16RDN65 / HWQ41F-16RDN80 /
 HWQ41F-16RDN100 / HWQ41F-16RDN150