



總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/19 Pt.1 T/J(348)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

21 May 2019

Approval of "PCC" Stainless Steel Fittings (General Acceptance No. C20190294)

Your letters ref. L190002 and L190003 dated 11 April 2019 and 29 April 2019 respectively refer.

Having considered the test report ref. 173447PC180196A issued on 29 April 2019 by Fugro Technical Services Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: GX GXM Piping Technology Co Ltd

Country of Origin: the Mainland of China

Brand: PCC

Details of Fittings: Stainless steel fittings with press ends connection (316)

Description	Size
90° Bend	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
90° Bend MxF	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Female 90° Bend	15x½", 22x½", 22x¾", 28x1", 35x1¼" (mm x inch)
Male 90° Bend	15x½", 22x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)

Description	Size
45° Bend	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
45° Bend MxF	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Wallplate 90° Bend	15x½", 22x½", 22x¾", 28x1" (mm x inch)
Male Transition 90° Bend	28x1" (mm x inch)
Female 90° Bend	15x½", 22x½", 22x¾" (mm x inch)
Equal Tee	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Female Tee	15x½"x15, 22x½"x22, 22x¾"x22, 28x½"x28, 28x¾"x28, 28x1"x28, 35x½"x35, 35x¾"x35, 35x1"x35, 42x½"x42, 42x¾"x42, 42x1"x42, 54x½"x54, 54x¾"x54, 54x1"x54, 66.7x¾"x66.7, 76.1x¾"x76.1, 108x¾"x108 (mm x inch x mm)
Male Tee	22x½"x22, 22x¾"x22, 28x½"x28, 28x1"x28, 54x2"x54 (mm x inch x mm)
Male 90° Tee MxRx F	28x¾"x28, 42x¾"x42, 54x¾"x54, 54x1"x54 (mm x inch x mm)
Big Tee	15x22x15, 22x28x22 (mm)
Pig Tee	15x15x22, 22x22x15, 22x22x28, 28x28x22 (mm)
Reducing Tee	22x15x22, 28x15x28, 28x22x28, 35x15x35, 35x22x35, 35x28x35, 42x15x42, 42x22x42, 42x28x42, 42x35x42, 54x15x54, 54x22x54, 54x28x54, 54x35x54, 54x42x54, 66.7x22x66.7, 66.7x28x66.7, 66.7x35x66.7, 66.7x42x66.7, 66.7x54x66.7, 76.1x22x76.1, 76.1x28x76.1, 76.1x35x76.1, 76.1x42x76.1, 76.1x54x76.1, 76.1x66.7x76.1, 108x22x108, 108x28x108, 108x35x108, 108x42x108, 108x54x108, 108x66.7x108, 108x76.1x108 (mm)
Male Coupler	15x½", 15x¾", 22x½", 22x¾", 22x1", 28x¾", 28x1", 35x1", 35x1¼", 42x1½", 54x2", 66.7x2½", 76.1x2½", 76.1x3", 108x4" (mm x inch)
Female Coupler	15x½", 15x¾", 22x½", 22x¾", 22x1", 28x¾", 28x1", 35x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Straight Coupler	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Reducing Coupler	22x15, 28x15, 28x22, 35x28 (mm)
Sleeve Coupler	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Female Joint Coupler	15x¾", 22x1", 28x¾", 28x1¼", 35x1", 35x1½" (mm x inch)
Male Joint Coupler	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Reducer	22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42, 66.7x42, 66.7x54, 76.1x42, 76.1x54, 76.1x66.7, 108x66.7, 108x76.1 (mm)

Body Markings: PI 316L DVGW (Sizes)

Expiry Date: 1 February 2024

This Authority hereby permits the use of the above fittings in fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



Straight Coupler



Sleeve Coupler



Male Coupler



Female Coupler



90° Bend



90° Bend MxF



45° Bend



45° Bend MxF



Male 90° Bend



Female 90° Bend



Reducer



Equal Tee



Reducing Tee



Female Tee



Female Joint Coupler



Male Joint Coupler



Wallplate 90° Bend



Male 90° Tee MxRxF



Big Tee



Pig Tee



Reducing Coupler



Male Transition
90° Bend



Female 90° Bend



Male Tee