



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (7) in WSD 3321/19 T/J(1166/2019)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

7 July 2020

**Approval of “GEBERIT” Stainless Steel Fittings
(General Acceptance No. C20200539)**

Your letter dated 12 December 2019 and subsequent submissions received by this department up to 3 June 2020 refer.

Having considered the test report ref. BC-SUMMARY-2019-9 issued on 5 February 2020 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Geberit

Country of Origin: Germany

Brand: Geberit

Details of Fittings: Stainless steel fittings with press ends connection (316)

Description	Size
Bend 90°	15, 22, 28, 35, 42, 54 (mm)
Bend 45°	15, 22, 28, 35, 42, 54 (mm)
Elbow Adapter 90° with Male Thread	15x½", 22x¾", 28x1" (mm x inch)

Description	Size
Elbow Adapter 90° with Female Thread	15x½", 22x¾", 28x1", 35x1¼" (mm x inch)
T-Piece, Equal	15, 22, 28, 35, 42, 54 (mm)
T-Piece, Reduced	22x22x15, 28x22x22, 28x28x15, 28x28x22, 35x35x15, 35x35x22, 35x35x28, 42x42x22, 42x42x28, 42x42x35, 54x54x22, 54x54x28, 54x54x35, 54x54x42 (mm)
T-Piece with Male Thread	15x15x½", 22x22x¾" (mm x mm x inch)
T-Piece with Female Thread	15x15x½", 22x22x½", 22x22x¾" (mm x mm x inch)
Coupling	15, 22, 28, 35, 42, 54 (mm)
Adapter with Male Thread	15x½", 15x¾", 22x½", 22x¾", 22x1", 28x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Adapter with Female Thread	15x½", 15x¾", 22x½", 22x¾", 22x1", 28x½", 28x¾", 28x1", 35x1¼", 42x1½", 54x1½", 54x2" (mm x inch)
Reducer with Plain End	22x15, 28x15, 28x22, 35x15, 35x22, 35x28, 42x15, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42 (mm)

Body Markings: (DN) DVGW Vds

Expiry Date: 2 February 2025

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,


(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



Bend 90°



Bend 45°



Elbow Adapter 90°
with Male Thread



Elbow Adapter 90°
with Female Thread



T-Piece, Equal



T-Piece,
Reduced



T-Piece with
Male Thread



T-Piece with Female
Thread



Coupling



Adapter with
Male Thread



Adapter with
Female Thread



Reducer with
Plain End