



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2021 T/J(1184/2021)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

21 October 2021

**Approval of "KEMBLA" Copper Fittings
(General Acceptance No. C20211158)**

Your letters dated 22 July 2021 and 2 September 2021 refer.

Having considered the test report ref. BC-SUMMARY-2021-124 issued on 1 September 2021 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Wenling Honson Brassware Co Ltd

Country of Origin: the Mainland of China

Brand: Kembla

Details of Fittings: Copper alloy fittings with compression connection ends

Description	Model	Size
Straight Coupling	301	15, 22, 28, 35, 42, 54 (mm)
Female Straight Adaptor	303	15x½", 22x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Male Straight Adaptor	302	15x½", 22x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)

Description	Model	Size
Male Elbow	402	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Female Elbow	403	15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)
Female Wallplate Elbow	453	15x½", 22x¾" (mm x inch)
90° Elbow	401	15, 22, 28, 35, 42, 54 (mm)
45° Elbow	401(45)	15, 22, 28 (mm)
Reducing Elbow	401RED	22x15 (mm)
Reducing Coupling	301RED	22x15, 28x15, 28x22 (mm)
Reducing Set	068	22x15, 28x15, 28x22, 35x15, 35x22, 35x28, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42 (mm)
Reduced End Tee	601RE	22x15x22 (mm)
Equal Tee	601EQ	15, 22, 28, 35, 42, 54 (mm)
Reduced Branch Tee	601RB	22x22x15, 28x28x15, 28x28x22, 35x35x28, 42x42x35, 54x54x42 (mm)
Reduced End and Branch Tee	601REB	22x15x15 (mm)
Reduced Both End Tee	601REE	15x15x22 (mm)
Female Branch Tee	617	15x15x½", 22x22x½", 22x22x¾" (mm x mm x inch)

Body Markings:

For Reducing Set:
Nil

For others:
KEMBLA EN 1254-2 (Size)

Expiry Date:

8 July 2026

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



301



303



302



402



403



453



401



401(45)



401RED



301RED



068



601RE



601EQ



601RB



601REB



601REE



617