



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2021 T/J(1804/2021)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

17 January 2022

**Approval of "VADO" Shower Mixers
(General Acceptance No. C20220052)**

Your letters ref. L21-180 and L21-180R1 dated 13 December 2021 and 23 December 2021 respectively refer.

Having considered the test report ref. RGTC115 issued on 10 December 2021 by Ideal Test Consultants Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Vado

Country of Origin: UK

Brand: Vado

Details of Fittings: 1/2" Single lever shower mixer

Model: LIF-145A-C/P, NOT-145A-C/P, ORI-145A-C/P,
PHA-145A-C/P, PHO-145A-C/P, TE-145A-C/P,
ZOO-145A/RO-C/P, ZOO-145A/SQ-C/P,
SEN-145A-C/P, CHE-145A-C/P, EDI-145A-C/P,
KOV-145A-C/P, IND-NOT145A-BLK,
IND-NOT145A-BRG, IND-NOT145A-BRN,
IND-NOT145A-BG, IND-ORI145A-BLK,

IND-ORI145A-BRG, IND-ORI145A-BRN,
IND-ORI145A-BG, IND-EDI145A-BLK,
IND-EDI145A-BRG, IND-EDI145A-BRN,
IND-EDI145A-BG

Body Markings:



Expiry Date: 29 November 2026

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fittings shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fail to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fittings, unless otherwise specified.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,

A handwritten signature in black ink, appearing to be "Roger Wong".

(Roger WONG)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



LIF-145A-C/P



PHA-145A-C/P



PHO-145A-C/P



TE-145A-C/P



ZOO-145A/RO-C/P



ZOO-145A/SQ-C/P




SEN-145A-C/P



CHE-145A-C/P



KOV-145A-C/P



NOT-145A-C/P



IND-NOT145A-BLK



IND-NOT145A-BRN



IND-NOT145A-BRG



IND-NOT145A-BG




ORI-145A-C/P



IND-ORI145A-BLK



IND-ORI145A-BRN




IND-ORI145A-BRG




IND-ORI145A-BG



EDI-145A-C/P




IND-EDI145A-BLK



IND-EDI145A-BRN



IND-EDI145A-BRG



IND-EDI145A-BG