



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2022 T/J(171/2022)

Our ref.

來函檔號 :

Your ref.

電話 :

Tel.

傳真 :

Fax.

2824 0578

12 May 2022

**Approval of “TOZEN” Flexible Joints
(General Acceptance No. C20220372)**

Your letters ref. TLL/M863/22 and TLL/M878/22 dated 16 February 2022 and 7 April 2022 respectively refer.

Brand	Model No. (Size)	Nutek Test Report Ref.	Issuance Date
Tozen	Twinflex (32mm)	J25748A	16 Nov 2020
Tozen	Twinflex (40mm)	J25748B	16 Nov 2020
Tozen	Twinflex (50mm)	J25748C	16 Nov 2020
Tozen	Twinflex (65mm)	J25748D	16 Nov 2020
Tozen	Twinflex (80mm)	J25748E	16 Nov 2020
Tozen	Twinflex (100mm)	J25748F	16 Nov 2020
Tozen	Twinflex (125mm)	J25748Gr1	11 Feb 2022
Tozen	Twinflex (150mm)	J25748H	16 Nov 2020
Tozen	Twinflex (200mm)	J25748I	16 Nov 2020
Tozen	Twinflex (250mm)	J25748J	16 Nov 2020
Tozen	Twinflex (300mm)	J25748Kr1	17 Aug 2021

Having considered the above test reports and test report ref. J26058r2 issued on 4 April 2022 by the Nutek Systems (HK) Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Tozen Corporation
Country of Origin: the Mainland of China
Brand: Tozen
Details of Fitting: Twin sphere rubber flexible joint
Model: Twinflex
Size: 32mm, 40mm, 50mm, 65mm, 80mm, 100mm, 125mm, 150mm, 200mm, 250mm, 300mm
Body Markings: TOZEN TWINFLEX size
Expiry Date: 26 October 2025

This Authority hereby permits the use of the above fittings in fresh water plumbing systems, flushing water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.


Yours faithfully,



(YAU Hau Yin)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



Twinflex