



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2022 T/J(632/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

30 June 2022

**Approval of “ASAHI” uPVC Fittings
(General Acceptance No. C20220592)**

Your letters both ref. BK2022-CH-ASAHIF-001 dated 30 May 2022 and 9 June 2022 refer.

Having considered the test reports ref. BC-SUMMARY-2022-058 and 220208-2065 issued on 16 May 2022 and 24 May 2022 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Asahi Yukizai Corporation

Country of Origin: Japan

Brand: Asahi

Details of Fittings: uPVC fittings in grey colour

Description	Model	Size (mm)
90° Elbow	TNU9L	16, 20, 25, 30, 40, 50, 65, 75, 100, 150, 200, 250, 300
45° Elbow	TNU4L	20, 25
45° Elbow	BNU45	40, 50, 65, 75, 100, 150, 200, 250, 300
Faucet 90° Elbow	TNUKL	16, 20, 25
Equal Tee	TNUTE	16, 20, 25, 30, 40, 50, 65, 75, 100, 150, 200, 250, 300
Reducing Tee	TNUTE	20x20x16, 25x25x16, 25x25x20, 30x30x16, 30x30x20, 30x30x25, 40x40x20, 40x40x25, 40x40x30, 50x50x16, 50x50x20, 50x50x25, 50x50x30, 50x50x40, 65x65x40, 65x65x50, 75x75x25, 75x75x40, 75x75x50, 100x100x50, 100x100x75, 150x150x75, 150x150x100, 200x200x75, 200x200x100, 200x200x150, 250x250x75, 250x250x200, 300x300x75
Reducing Socket	TNUSO	20x16, 25x16, 25x20, 30x20, 30x25, 40x20, 40x25, 40x30, 50x20, 50x25, 50x30, 50x40, 65x50, 75x50, 75x65, 100x75, 150x100, 200x150, 250x200, 300x250

Body Markings:



size

Expiry Date:

12 May 2027

This Authority hereby permits the use of the above fittings in fresh water plumbing systems and flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only




90° Elbow




45° Elbow



Faucet 90° Elbow



Equal Tee



Reducing Tee



Reducing Socket