



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (6) in WSD 3321/2022 T/J(1230/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

19 December 2022

**Approval of “ANCHOR” UPVC Fittings
(General Acceptance No. C20221154F)**

Your letters dated 21 October 2022, 15 November 2022 and 2 December 2022 refer.

Having considered the test report ref. J28301r2 issued on 28 November 2022 by Nutek Systems (HK) Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Zhongshan Universal Enterprise Ltd

Country of Origin: the Mainland of China

Brand: Anchor

Details of Fittings: uPVC fittings in white colour

Description	Size (inch)
90° Elbow	½", ¾", 1", 1¼", 1½", 2", 2½", 3", 4", 6"
45° Elbow	½", ¾", 1", 1¼", 1½", 2", 2½", 3", 4"
Equal Tee	½", ¾", 1", 1¼", 1½", 2", 2½", 3", 4", 6"

Description	Size (inch)
Reducing Tee	$\frac{3}{4}$ "x $\frac{3}{4}$ "x $\frac{1}{2}$ ", 1"x1"x $\frac{1}{2}$ ", 1"x1"x $\frac{3}{4}$ ", $\frac{1}{4}$ "x $\frac{1}{4}$ "x $\frac{1}{2}$ ", $\frac{1}{4}$ "x $\frac{1}{4}$ "x $\frac{3}{4}$ ", 1 $\frac{1}{2}$ "x1 $\frac{1}{2}$ "x $\frac{3}{4}$ ", 1 $\frac{1}{2}$ "x1 $\frac{1}{2}$ "x1 $\frac{1}{4}$ ", 2"x2"x1", 2"x2"x1 $\frac{1}{4}$ ", 2 $\frac{1}{2}$ "x2 $\frac{1}{2}$ "x2", 3"x3"x2", 4"x4"x2", 4"x4"x3"
Reducer	$\frac{3}{4}$ "x $\frac{1}{2}$ ", 1"x $\frac{1}{2}$ ", 1 $\frac{1}{4}$ "x $\frac{1}{2}$ ", 1 $\frac{1}{4}$ "x $\frac{3}{4}$ ", 1 $\frac{1}{2}$ "x $\frac{3}{4}$ ", 1 $\frac{1}{2}$ "x1", 1 $\frac{1}{2}$ "x1 $\frac{1}{4}$ ", 2"x1", 2"x1 $\frac{1}{4}$ ", 2"x1 $\frac{1}{2}$ ", 2 $\frac{1}{2}$ "x2", 3"x2", 4"x2", 4"x3", 6"x4"

Body Markings:**Expiry Date:**

21 September 2027

Proviso:

As the fittings have not been tested for use in contact with water intended for human consumption, the fittings can only be used in flushing water plumbing systems.

This Authority hereby permits the use of the above fittings in flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in flushing water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.


Yours faithfully,

(YAU Hau Yin)

for Director of Water Supplies

Encl.


c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only



90° Elbow



45° Elbow



Equal Tee



Reducing Tee



Reducer