



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (8) in WSD 3321/2022 T/J(1380/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

4 April 2023

**Approval of “VINIDEX” uPVC Fittings
(General Acceptance No. C20230213F)**

Your letter dated 16 December 2022 and subsequent submissions received by this department up to 6 March 2023 refer.

Having considered the test report ref. BC-SUMMARY-2023-132 issued on 2 February 2023 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Guangzhou Lifan Plastics Co Ltd

Country of Origin: the Mainland of China

Brand: Vinidex

Details of Fittings: uPVC fittings in white colour

Description	Size (mm)	Body Marking
90° Elbow	15	Vinidex AS/NZS 1477.2 15mm UPVC CLASS 18
	20	Vinidex AS/NZS 1477.2 20mm UPVC CLASS 18
	25	Vinidex AS/NZS 1477 UPVC PN18 25mm 90°
	32	Vinidex AS/NZS 1477.2 32mm UPVC CLASS 18

Description	Size (mm)	Body Marking
90° Elbow	40	Vinidex AS/NZS 1477.2 40mm UPVC CLASS 18
	50	Vinidex AS/NZS 1477.2 50mm UPVC CLASS 18
	65	Vinidex AS 1477 CLASS 12 UPVC 65mm
45° Elbow	15	VX PVC 15 AS 1477.2 CLASS 18
	20	Vinidex AS/NZS 1477.2 20mm 45° UPVC CLASS 18
	25	Vinidex AS/NZS 1477.2 25mm 45° UPVC CLASS 18
	32	VX uPVC 32 CLASS 18 AS 1477.2
	40	Vinidex AS 1477.2 40mm PVC CLASS 18 CAT 10
	50	Vinidex AS 1477.2 50mm PVC CLASS 18 CAT 10
	65	Vinidex AS/NZS 1477.2 65mm UPVC CLASS 12
Equal Tee	15	Vinidex CLASS 18 AS 1477.2 15 PVC
	20	Vinidex AS/NZS 1477.2 20mm UPVC CLASS 18
	25	Vinidex AS 1477.2 25mm PVC CLASS 18 CAT 19
	32	Vinidex AS/NZS 1477.2 32MM UPVC CLASS 18
	40	Vinidex 40mm UPVC AS/NZS 1477
	50	Vinidex AS1477.2 50mm PVC CLASS 18 CAT 19
	65	Vinidex AS/NZS 1477.2 65mm UPVC CLASS 12
Reducing Tees	20 x 15	Vinidex CLASS 18 AS 1477.2 20 PVC
	25 x 15	Vinidex AS/NZS 1477.2 25x15MM UPVC CLASS 18
	25 x 20	Vinidex AS/NZS 1477 25mm x 20mm UPVC PN 18
	40 x 15	Vinidex 40mm CLASS 18 PVC AS 1477.2 40x15
	40 x 20	Vinidex PVC AS 1477.2 CLASS 18 20mm 40
	40 x 25	Vinidex PVC AS 1477.2 CLASS 18 25mm 40
	40 x 32	Vinidex 40mm CLASS 18 PVC AS 1477.2 40x32
	50 x 20	Vinidex AS/NZS 1477 50mm x 20mm UPVC PN 18
	50 x 25	Vinidex AS/NZS 1477.2 50x25MM UPVC CLASS 18
Reducing Sockets	20 x 15	Vinidex AS/NZS 1477.2 20x15MM UPVC CLASS 18
	25 x 20	AS1477.2 CLASS 18 VX UPVC 20mm 25x20
	32 x 20	Vinidex CLASS 18 PVC AS 1477.2 32mm 32x20 AS 1477.2 CLASS 18 VX PVC
	32 x 25	Vinidex CLASS 18 PVC AS1477.2 32mm 32x25 AS 1477.2 CLASS 18 VX PVC
	40 x 20	PVC Vinidex 20 AS 1477.2 CLASS 18 40
	40 x 25	40x25 VX AS 1477.2 UPVC CLASS 18
	40 x 32	Vinidex CLASS 18 40 AS 1477.2 PVC 32
	50 x 20	AS 1477.2 CLASS 18 VX UPVC 20mm 50mm
	50 x 25	AS 1477.2 CLASS 18 VX PVC 25 50mm
	50 x 40	50x40 VX AS 1477.2 UPVC CLASS 18 50mm

Expiry Date: 11 October 2027

Proviso: As the fittings have not been tested for use in contact with water intended for human consumption, the fittings can only be used in flushing water plumbing systems.

This Authority hereby permits the use of the above fittings in flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in flushing water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(Mable LH LAM)
for Director of Water Supplies

Encl.


c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only




90° Elbow



45° Elbow



Equal Tee



Reducing Tees



Reducing Sockets