



水務署  
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : ( 6 ) in WSD 3321/2023 T/J(551/2023)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

2 August 2023

**Approval of “MAYER” Stainless Steel Fittings  
(General Acceptance No. C20230569)**

Your letter ref. BK2023-JL-MAYER-001 dated 30 May 2023 and subsequent submissions received by this department up to 13 July 2023 refer.

Having considered the test report ref. BC-SUMMARY-2023-064 issued on 19 June 2023 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Guangzhou Mayer Corp Ltd

**Country of Origin:** the Mainland of China

**Brand:** Mayer

**Details of Fittings:** Stainless steel fittings with press-fit connection (304)

| Description             | Model | Size                        |
|-------------------------|-------|-----------------------------|
| 90° Elbow               | 90E   | 15, 22, 28, 35, 42, 54 (mm) |
| 90° Street Elbow        | 90ED  | 15, 22, 28, 35, 42, 54 (mm) |
| 45° Obtuse Elbow        | 45E   | 15, 22, 28, 35, 42, 54 (mm) |
| 45° Obtuse Street Elbow | 45ED  | 15, 22, 28, 35, 42, 54 (mm) |

| Description                       | Model | Size                                                                                                                                                                    |
|-----------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 90° Bend with Female Thread       | 90EF  | 15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                  |
| 90° Bend with Male Thread         | 90EM  | 15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                  |
| 90° Elbow with Female Thread      | 90EFZ | 15x½", 22x½", 22x¾", 28x1" (mm x inch)                                                                                                                                  |
| Equal Tee                         | 3T    | 15, 22, 28, 35, 42, 54 (mm)                                                                                                                                             |
| Reducing Branch Tee               | 3TR   | 22x22x15, 28x28x15, 28x28x22, 35x35x15, 35x35x22, 35x35x28, 42x42x15, 42x42x22, 42x42x28, 42x42x35, 54x54x15, 54x54x22, 54x54x28, 54x54x35, 54x54x42 (mm)               |
| Tee with Female Branch            | 3TF   | 15x15x½", 22x22x½", 22x22x¾", 28x28x½", 28x28x¾", 28x28x1", 35x35x½", 35x35x¾", 35x35x1¼", 42x42x½", 42x42x¾", 42x42x1½", 54x54x½", 54x54x2" (mm x mm x inch)           |
| Tee with Male Branch              | 3TM   | 15x15x½", 22x22x½", 22x22x¾", 28x28x½", 28x28x¾", 28x28x1", 35x35x½", 35x35x¾", 35x35x1¼", 42x42x½", 42x42x¾", 42x42x1½", 54x54x½", 54x54x¾", 54x54x2" (mm x mm x inch) |
| Straight Coupler                  | S     | 15, 22, 28, 35, 42, 54 (mm)                                                                                                                                             |
| Slip Coupler                      | SK    | 15, 22, 28, 35, 42, 54 (mm)                                                                                                                                             |
| Female Straight Coupler           | SF    | 15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                  |
| Male Straight Coupler             | SM    | 15x½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                  |
| Fitting Reducer                   | SR    | 22x15, 28x15, 28x22, 35x22, 35x28, 42x28, 42x35, 54x28, 54x35, 54x42 (mm)                                                                                               |
| Female Straight Coupler (Reducer) | SF    | 15x¾", 22x½", 22x1", 28x¾" (mm x inch)                                                                                                                                  |
| Male Straight Coupler (Reducer)   | SM    | 15x¾", 22x½", 28x¾" (mm x inch)                                                                                                                                         |

**Body Markings:** MAYER size 304

**Expiry Date:** 2 August 2026

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)  
for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82    ] - without catalogue  
             ME/MC            ] - with soft copy only



90° Elbow



90° Street Elbow



45° Obtuse Elbow



45° Obtuse Street Elbow



90° Bend with Female Thread



90° Bend with Male Thread



90° Elbow with Female Thread



Equal Tee



Reducing Branch Tee



Tee with Female Branch



Tee with Male Branch



Straight Coupler



Slip Coupler



Female Straight Coupler



Male Straight Coupler



Fitting Reducer



Female Straight Coupler  
(Reducer)



Male Straight Coupler  
(Reducer)