



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (8) in WSD 3321/2023 T/J(1034/2023)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

27 December 2023

**Approval of “KING LION” UPVC Fittings
(General Acceptance No. C20230951F)**

Your letter ref. HK/KLSD/LL23/028 dated 5 October 2023 and subsequent clarification by email up to 12 December 2023 refer.

Having considered the test report ref. 02341W200038-5A issued on 13 September 2023 by Material Tech Company Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: King Lion PVC Pipes & Fittings MFY Ltd

Country of Origin: the Mainland of China

Brand: King Lion

Details of Fittings: uPVC fittings in grey colour

Description	Size (mm)
90° Elbow	15, 20, 25, 32, 40, 50
45° Elbow	15, 20, 25, 32, 40, 50
Equal Tee	15, 20, 25, 32, 40, 50
Reducing Tee	20x20x15, 25x25x15, 25x25x20, 32x32x15, 32x32x20, 32x32x25, 40x40x15, 40x40x20, 40x40x25, 40x40x32, 50x50x15, 50x50x20, 50x50x25, 50x50x32, 50x50x40

Description	Size (mm)
Reducer	20x15, 25x15, 25x20, 32x15, 32x20, 32x25, 40x15, 40x20, 40x25, 40x32, 50x15, 50x20, 50x25, 50x32, 50x40

Body Markings:

For 90° Bend (except 20mm) and Equal Tee:

 size
KING LION

For 20mm 90° Bend:

 BS4346 20mm
KING LION

For 45° Bend (except 50mm):

 size x 45°
KING LION

For 50mm 45° Bend:

 size x 45° UPVC BS4346
KING LION

For Reducing Tee and Reducer:

 size x size
KING LION
Expiry Date:

17 November 2027

Proviso:

As the fittings have not been tested for use in contact with water intended for human consumption, the fittings can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fittings in flushing water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in flushing water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.


c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



90° Elbow



45° Elbow



Equal Tee



Reducing Tee



Reducer