



水務署  
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : ( 6 ) in WSD 3321/2023 T/J(1253/2023)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

22 February 2024

**Approval of "EAGLE" Copper Fittings  
(General Acceptance No. C20240127)**

Your letters dated 7 December 2023, 29 December 2023 and 26 January 2024 refer.

Having considered the test reports ref. J29515r2 and J29120r1 issued on 25 January 2024 and 5 December 2023 by Nutek Systems (HK) Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** SCE Technology (Ningbo) Co Ltd

**Country of Origin:** the Mainland of China

**Brand:** Eagle

**Details of Fittings:** Copper alloy fittings with compression ends

| Description                          | Model | Size                                                      |
|--------------------------------------|-------|-----------------------------------------------------------|
| Straight Coupling C x C              | 6301  | 15, 22, 28, 35, 42, 54 (mm)                               |
| Straight Coupling C x C<br>(Reducer) | 6301  | 22x15, 28x15, 28x22 (mm)                                  |
| Straight Coupling C x Mi             | 6302  | 15x½", 22x¾", 28x1", 35x1¼", 42x1½",<br>54x2" (mm x inch) |

| Description              | Model  | Size                                                                                                                                                                                                        |
|--------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Straight Coupling C x Fi | 6303   | 15x1½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                                                     |
| 45° Elbow C x C          | 6401E  | 15, 22, 28 (mm)                                                                                                                                                                                             |
| 90° Elbow C x C          | 6401   | 15, 22, 28, 35, 42, 54, 22x15, 28x15, 28x22 (mm)                                                                                                                                                            |
| 90° Elbow C x Mi         | 6402   | 15x1½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                                                     |
| 90° Elbow C x Fi         | 6403   | 15x1½", 22x¾", 28x1", 35x1¼", 42x1½", 54x2" (mm x inch)                                                                                                                                                     |
| Wallplate Elbow C x Fi   | 6403WE | 15x1½" (mm x inch)                                                                                                                                                                                          |
| Tee C x C x Fi           | 6617   | 15x15x1½" (mm x mm x inch)                                                                                                                                                                                  |
| Tee C x C x C            | 6601   | 15x15x15, 22x15x15, 22x15x22, 22x22x15, 22x22x22, 22x22x28, 28x22x22, 28x22x28, 28x28x15, 28x28x22, 28x28x28, 35x35x15, 35x35x22, 35x35x28, 35x35x35, 42x42x28, 42x42x35, 42x42x42, 54x54x42, 54x54x54 (mm) |

**Body Markings:** EAGLE EN1254-2 size

**Expiry Date:** 2 August 2028

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed should be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer  
Mr Albert CHOW at tel. no. 3583 4086.


Yours faithfully,




(Terry KUNG)  
for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82    ] - without catalogue  
         ME/MC            ] - with soft copy only



Straight Coupling C x C



Straight Coupling C x C  
(Reducer)



Straight Coupling C x Mi



Straight Coupling C x Fi



45° Elbow C x C



90° Elbow C x C



90° Elbow C x Mi



90° Elbow C x Fi



Wallplate Elbow C x Fi



Tee C x C x Fi



Tee C x C x C