



水務署  
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : ( 10 ) in WSD 3321/2024 T/J(188/2024)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

2 July 2024

**Approval of “DUCKY” Stainless Steel Fittings  
(General Acceptance No. C20240394)**

Your letter dated 26 February 2024 and subsequent submissions received by this department up to 7 June 2024 refer.

Having considered the test report ref. BC-SUMMARY-2023-208 issued on 8 April 2024 by Castco Testing Centre Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Guangdong Ducky Win Pipe Technology Co Ltd

**Country of Origin:** the Mainland of China

**Brand:** Ducky

**Details of Fittings:** Stainless steel fittings with compression ends connection (304)

| Description       | Size                                                        |
|-------------------|-------------------------------------------------------------|
| 90° Elbow         | 15, 22, 28, 35, 42, 54 (mm)                                 |
| 45° Elbow         | 15, 22, 28, 35, 42 (mm)                                     |
| 90° Reducer Elbow | 22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35 (mm) |

| Description             | Size                                                                                                    |
|-------------------------|---------------------------------------------------------------------------------------------------------|
| 90° Female Bend         | 22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ " (mm x inch)                                            |
| Wall Plate Elbow        | 15x $\frac{1}{2}$ " (mm x inch)                                                                         |
| Socket                  | 15, 22, 28, 35, 42, 54 (mm)                                                                             |
| Female Thread Connector | 22x $\frac{3}{4}$ ", 28x1", 35x1 $\frac{1}{4}$ " (mm x inch)                                            |
| Male Thread Connector   | 15x $\frac{1}{2}$ ", 35x1 $\frac{1}{4}$ " (mm x inch)                                                   |
| Equal Tee               | 15, 22, 28, 35, 42, 54 (mm)                                                                             |
| Reducing Tee            | 22x15x22, 28x15x28, 28x22x28, 35x15x35, 35x22x35, 35x28x35, 42x22x42, 42x28x42, 42x35x42, 54x15x54 (mm) |
| Female Tee              | 28x1"x28, 35x1"x35, 35x1 $\frac{1}{4}$ "x35 (mm x inch x mm)                                            |
| Reducing Cross Tee      | 28x22x28x22, 42x28x42x28 (mm)                                                                           |
| Reducer                 | 22x15, 28x22, 35x28, 42x35, 54x15, 54x22, 54x28, 54x35 (mm)                                             |

**Body Markings:** DUCKY 304 size

**Expiry Date:** 26 October 2028

This Authority hereby permits the use of the above fittings in fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue  
ME/MC ] - with soft copy only



90° Elbow



45° Elbow



90° Reducer Elbow



90° Female Bend



Wall Plate Elbow



Socket



Female Thread Connector



Male Thread Connector



Equal Tee



Reducing Tee



Female Tee



Reducing Cross Tee



Reducer

