



水務署
Water Supplies Department

香港灣仔告士打道七號入境事務大樓
Immigration Tower, 7 Gloucester Road, Hong Kong.

電子郵件
e-mail wsdinfo@wsd.gov.hk

電話
Telephone

圖文傳真
Facsimile 2824 0578

檔號
Reference (6) in WSD 3321/2025 T/J(1102/2025)

3 February 2026

**Approval of “>B< PRESS” Copper Fittings
(General Acceptance No. ZA20260002)**

Your letter ref. BK2025-AC-BPress-040 dated 23 October 2025 and subsequent submissions received by this department up to 7 January 2026 refer.

The licence no. KM 765052 has been examined. It is noted that the British Standards Institution (BSI) has granted Conex Universal Limited the right and licence to use the Kitemark for goods as set out below. This Authority accepts that the fittings described below based on Kitemark certificate and test report ref. BC-SUMMARY-2025-237 issued on 2 January 2026 by Castco Testing Centre Limited comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Conex Universal Limited

Country of Origin: Poland

Brand: >B< Press

Details of Fittings: Copper fittings with press connection ends



東江水供港



香港環境卓越獎
Hong Kong Award for Environmental Excellence



15 years+
同心展關懷
caring organisation

Awarded by The Hong Kong Council of Social Service
頒發予香港社會服務會

Description	Model	Size
90° Street Bend	P5001	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
90° Bend	P5002	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
45° Obtuse Street Bend	P5040	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
45° Obtuse Bend	P5041	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Equal Tee	P5130	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Reducer Tee with Reduced Branch	P5130RB	22x22x15, 28x28x15, 28x28x22, 35x35x15, 35x35x22, 35x35x28, 42x42x22, 42x42x28, 42x42x35, 54x54x22, 54x54x28, 54x54x35, 54x54x42, 66.7x66.7x28, 66.7x66.7x35, 66.7x66.7x42, 66.7x66.7x54, 76.1x76.1x28, 76.1x76.1x35, 76.1x76.1x42, 76.1x76.1x54, 76.1x76.1x66.7, 108x108x54, 108x108x76.1 (mm)
Tee with Female Threaded Branch	P5130G	66.7x66.7x $\frac{3}{4}$ ", 66.7x66.7x2", 76.1x76.1x $\frac{3}{4}$ ", 76.1x76.1x2", 108x108x $\frac{3}{4}$ ", 108x108x2" (mm x mm x inch)
Reducer Tee with Reduced End and Branch	P5130REB	22x15x15, 28x22x15, 28x22x22, 35x28x22, 35x28x28, 42x35x35, 54x42x42 (mm)
Reducer Tee with Reduced End	P5130RE	22x15x22, 28x15x28 28x22x28 (mm)
Reducer Tee with Reduced Both Ends	P5130RBE	15x15x22, 22x22x28 (mm)
Reducer Straight Coupler	P5240	22x15, 28x22, 35x28, 42x35, 54x42 (mm)
Fitting Reducer - Male x Female	P5243	22x15, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35, 54x35, 54x42, 66.7x28, 66.7x35, 66.7x42, 66.7x54, 76.1x35, 76.1x42, 76.1x54, 76.1x66.7, 108x42, 108x54, 108x66.7, 108x76.1 (mm)
Male Threaded Straight Connector	P5243G	66.7x2 $\frac{1}{2}$ ", 76.1x3", 108x4" (mm x inch)
Male Threaded Straight Connector (Reducer)	P5243G	76.1x2 $\frac{1}{2}$ " (mm x inch)
Straight Connector	P5270	15, 22, 28, 35, 42, 54, 66.7, 76.1, 108 (mm)
Repair Coupler	P5270S	15, 22, 28, 35, 42, 54 (mm)
Repair Coupler	P5275	66.7, 76.1, 108 (mm)

Body Markings:



Expiry Date:

2 February 2031

In view of BSI granting licence to Conex Universal Limited, approval is hereby given to the said water supply fittings to be used on fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

This Authority reserves the right to withdraw the approval given to the use of the water supply fittings if they are found afterwards not suitable for use in the water supply systems mentioned above in terms of quality or unacceptability of material.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(CHAN Kwok Leung, Douglas)
for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
 ME/MC] - with soft copy only



90° Street Bend



90° Bend



45° Obtuse Street Bend



45° Obtuse Bend



Equal Tee



Reducer Tee with Reduced Branch



Tee with Female Threaded Branch



Reducer Tee with Reduced End and Branch



Reducer Tee with Reduced End



Reducer Tee with Reduced Both Ends



Reducer Straight Coupler



Fitting Reducer - Male x Female



Male Threaded
Straight Connector



Male Threaded
Straight Connector
(Reducer)



Straight Connector



Repair Coupler
P5270S



Repair Coupler
P5275