



水務署  
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : ( 8 ) in WSD 3321/2024 T/J(484/2024)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

15 August 2024

**Approval of “PCC” Stainless Steel Fittings  
(General Acceptance No. C20240541)**

Your letter ref. 230917PC240030 dated 29 May 2024 and subsequent submissions received by this department up to 26 July 2024 refer.

Having considered the test report ref. 230917PC240030(3)C issued on 24 July 2024 by Fugro Technical Services Limited, this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** PCC (Guangzhou) Piping Technology Industrial Ltd

**Country of Origin:** the Mainland of China

**Brand:** PCC

**Details of Fittings:** Stainless steel fittings with press ends connection (316L)

Description	Model	Size
Reducer with Plain End	1243	15x22, 28x15, 28x22, 35x22, 35x28, 42x22, 42x28, 42x35, 54x22, 54x28, 54x35, 54x42, 66.7x42, 66.7x54, 76.1x42, 76.1x54, 76.1x66.7, 108x66.7, 108x76.1 (mm)
Reducer	1203	22x15, 28x15, 28x22, 35x28 (mm)



Description	Model	Size
Reducer with Male Thread	1201	15x $\frac{3}{4}$ ", 22x $\frac{1}{2}$ ", 22x1", 28x $\frac{3}{4}$ ", 35x1", 76.1x $\frac{1}{2}$ " (mm x inch)
Reducer with Female Thread	1202	15x $\frac{3}{4}$ ", 22x $\frac{1}{2}$ ", 22x1", 28x $\frac{3}{4}$ ", 35x1" (mm x inch)
Joint Reducer with Female Thread	1207	15x $\frac{3}{4}$ ", 22x1", 28x $\frac{3}{4}$ ", 28x1 $\frac{1}{4}$ ", 35x1", 35x1 $\frac{1}{2}$ " (mm x inch)

**Body Markings:** PI size 316L DVGW OL-11

**Expiry Date:** 10 March 2029

This Authority hereby permits the use of the above fittings in fresh water plumbing systems and fresh water fire services systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in the water supply systems mentioned above.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr Albert CHOW at tel. no. 3583 4086.

Yours faithfully,



(Terry KUNG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue  
ME/MC ] - with soft copy only



Reducer with Plain  
End



Reducer



Reducer with Male  
Thread



Reducer with Female  
Thread



Joint Reducer with  
Female Thread